

Marblehead Conservation Commission Minutes March 8, 2018

Meeting was held in the lower conference room at the Mary A. Alley Building, 7 Widger Road

Meeting was called to order at 7:10 PM

Present were: Commission Members Brian LeClair, Fred Sullivan, David Depew, Michael Smith, and David VanHoven. Also present was Conservation Administrator and Town Engineer, Charles Quigley.

The hearings were conducted under the Massachusetts Wetlands Protection Act and the Marblehead Wetlands Protection Bylaw.

Note: The commission currently has seven members. Per the MACC Handbook, section 4.1.2, most lawyers agree that a quorum is "...a majority of commissioners currently serving". The quorum for this meeting is therefore four members.

Approval of Minutes:

Motion to approve minutes of meeting held on February 8, 2018, was made and minutes were approved.

DISCUSSIONS:

Executive session after hearings.

Request for Certificate of Compliance

- **40-1139**, 1 Nahant St – Corinthian YC – Building maintenance, pier painting. The Commission voted to postpone the meeting until April.

Request for Extension

- **40-1129**, Naugus Head Association – Ongoing use, maintenance and management of beaches and adjacent land – Robert York, 9 Roydon Rd. All members voted to close the hearing. The commission voted to approve the extension.

Minor Modification

- **40-1243**, 452 Atlantic Avenue – Alexander Falk (WPI) – Revetment repairs as detailed in "Emergency Revetment Repair Plan", March 2018 by GZA. Peter Williams of GZA present and Curt Young of Wetlands Preservation [Hayes Eng'g.]. The Commission voted to approve the minor modification request with the condition that the applicant notify DEP with the new toe stone footprint change and height of the revetment in a letter to DEP and cc to the Commission. The Commission also requires that the applicant allow 10 days for DEP to respond before commencing the work.

HEARINGS:

NOI 40-1301, #2 and #3 Eustis Road – Eamonn Healey (Haley Engineering)

Landscaping work for a single-family home as detailed in “Healy Residence Landscape Plan”, 1/4/2018 by Ubla Residential, LLC. Peter Ogren of Haye’s Engineering and Matt Ulrich of Ubla Residential present. The Commission noted that calculations for changes in impervious area and erosion control measures need to be added to the plans. All members voted to continue the hearing to the April meeting.

NOI 40-1302, 99 Ocean Avenue – Amy McHugh, Water and Sewer Superintendent for the Town of Marblehead

The repair and maintenance of a Drain Inlet/Outlet as detailed on “Goldthwait Swamp Inlet/Outlet Restoration”, stamped 12/26/17 by Haley & Ward. Amy McHugh and Scott Miller of Haley & Ward present. Jeffrey Lovett, representing the Goldthwait Reservation voiced support of the project.

All members voted to close the hearing. All members voted to issue an OOC with the following special conditions.

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner’s Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don’t Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

54. The control drawing/s for this project were prepared by a licensed Professional. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Progress reports shall be submitted by said professional at regular intervals while work is progressing on the project. The reporting interval

shall be determined by the Commission based on the scope and anticipated duration of the project. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines"**.

NOI 40-1303, 9 Edgemere Road – Lindsay Almeida and Adam Cohn

Appeared: Owners and Scott Patrowicz, Patrowicz Land Development Engineering

Proposed: House addition and sitework.

Control Drawing: "Site Plan – 9 Edgemere Road, dated 2/15/18 prepared by Scott Patrowicz, Patrowicz Land Development Engineering.

Applicant presented plans as provided in application.

All members voted to close the hearing. All members voted to issue an OOC with the following special conditions:

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

34. To the maximum extent possible, all driveways, terraces, patios or similar ground-level surfaces shall be constructed as permeable surfaces to allow water to infiltrate through their surfaces into the ground on site.

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides;

should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

NOI 40-1307, 8 Roydon Road – Richard and Ann Marie Jordon

Appeared: Owners and Peter Ogren, Hayes Engineering

Proposed: Deck addition.

Control Drawing: "Plan to Accompany NOI – 8 Roydon Road, dated 2/12/18 prepared by Hayes Engineering (2 sheets).

Applicant presented plans as provided in application.

All members voted to continue the hearing.

NOI 40-13xx, #5 Nashua Ave – Cara Niles

Appeared: Curt Young, WPI

Proposed: Seawall repairs, plant removal, stair construction.

This NOI has not been assigned a DEP File #. This hearing was continued without opening

NOI 40-13xx, #8 Nashua Ave – Donald and Andrea Souter

Appeared: Curt Young, WPI

Proposed: Retaining wall repairs.

This NOI has not been assigned a DEP File #. This hearing was continued without opening

NOI 40-1306, 7 Sunset Road – Seven Sunset Road Realty Trust

Appeared: Scott Patrowicz, Patrowicz Land Development Engineering

Proposed: Repair and maintenance of an existing pier and seawall.

Control Drawing: “Site Plan – 7 Sunset Road, dated 2/17/18 prepared by Scott Patrowicz, Patrowicz Land Development Engineering.

Applicant presented plans as provided in application.

All members voted to close the hearing. All members voted to issue an OOC with the following special conditions:

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

37. The construction of the pier/dock and any structure over the water permanently secured to the earth shall withstand a 100-year storm without damage to the integrity of the structure. All piers/docks shall conform to the requirements of Chapter 91.

38. Any pressure-treated wood proposed to be used in the construction of a structure for land - based use shall be arsenic-free. Any pressure-treated wood proposed to be used in the construction of a structure for salt water contact shall be treated with Chromated Copper Arsenate (CCA) or other preservative approved by the EPA and/or the MADEP which is less polluting and harmful to the salt water and its environment.

39. All piers, docks and floats must follow the guidelines established in the document, “Small Docks and Piers – A Guide to Permitting Small Pile-Supported Docks and Piers” dated November 2003. Float stops are permitted provided they meet the aforementioned guidelines.

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner’s Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don’t Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. When the repair of a seawall entails the use of existing rip-rap which was previously located at the toe of the seawall but has been distributed onto the beach seaward of the seawall by wave action, the following applies. The rip-rap lying above the mean high tide line can be re-located to the toe of the seawall. The rip-rap lying at or below the mean high tide line cannot be disturbed. This special condition is not a surviving condition and is valid only for that work specified for this particular application. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repair work on an existing existing riprap revetment.**

46. All gangways, docks or other items not permanently secured to the earth shall be stored during the “off season” (late fall, winter, early spring) so as to prevent them from causing any damage to other structures or resource area. **This condition shall survive this order.**

47. All gangways, docks or other items not permanently secured to the earth shall be properly secured and/or removed in the event of a major storm so as to prevent them from causing any damage to other structures or to the resource area. **This condition shall survive this order.**

48. All floats/docks will be so constructed so as not to bottom out (rest) on the ocean floor at low tides. **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

51. Minor maintenance repairs to the superstructure only of the pier are allowed as a surviving condition of this order. Minor maintenance repairs are, typically, replacement of occasional deck boards, sections of hand rails, etc. Complete new decking, complete new hand rails or other such large repairs require an NOI. Minor maintenance repairs do not apply to the main support

structure (stringers, bents, etc.) and do require an NOI. **This condition shall survive this order.**

54. The control drawing/s for this project were prepared by a licensed Professional. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Progress reports shall be submitted by said professional at regular intervals while work is progressing on the project. The reporting interval shall be determined by the Commission based on the scope and anticipated duration of the project. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

102. A tarp will be laid down at the base of the seawall during all repair work to capture all construction debris. The tarp will be on the seaward side of the seawall. The tarp will be rolled up and dumped into a disposal trailer as required throughout the work day and will be removed at the end of each work day.

NOI 40-1305, 45 Beacon Street – Jonathan D and Jennie Putnam

Appeared: Jennie Putnam and Scott Patrowicz, Patrowicz Land Development Engineering

Proposed: Repair and maintenance of an existing seawall, pool and sitework.

Control Drawing: "Site Plan – 45 Beacon Street, dated 2/16/18 prepared by Scott Patrowicz, Patrowicz Land Development Engineering.

Applicant presented plans as provided in application.

All members voted to close the hearing. All members voted to issue an OOC with the following special conditions:

Approved work is only for the areas designated in Brown on the plan:

Existing North Pool Seawall

Existing East Pool Seawall

Existing South Pool Seawall

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. When the repair of a seawall entails the use of existing rip-rap which was previously located at the toe of the seawall but has been distributed onto the beach seaward of the seawall by wave action, the following applies. The rip-rap lying above the mean high tide line can be re-located to the toe of the seawall. The rip-rap lying at or below the mean high tide line cannot be disturbed. This special condition is not a surviving condition and is valid only for that work specified for this particular application. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repair work on an existing existing riprap revetment.**

44. The back-filling of small areas of erosion landward of a seawall is allowed as a surviving condition provided the erosion is not on a coastal bank. This back-filling applies to areas defined primarily as Land Subject to Coastal Storm Flowage. Any work on a coastal bank requires an NOI. The back-fill material must be clean and compatible with the eroded material. Prior to any

back-filling, the scope of the proposed back-filling must be approved by the Conservation Commission. **This condition shall survive this order.**

45. When a pool/spa/hot tub is to be drained, no chlorine or other chemicals are to be added to the pool water for a period of at least four (4) days prior to draining to allow for the chlorine and other chemicals to dissipate; and there shall be an appropriate sign placed permanently at or immediately adjacent to the pool/spa/hot tub drainage valve or mechanism indicating this requirement. The method of pool drainage shall be such as to prevent any soil erosion by the draining water and to allow the draining water to seep into the ground prior to entering any resource waters. No direct discharge to resource waters is allowed. **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

54. The control drawing/s for this project were prepared by a licensed Professional. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Progress reports shall be submitted by said professional at regular intervals while work is progressing on the project. The reporting interval shall be determined by the Commission based on the scope and anticipated duration of the project. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

102. A tarp will be laid down at the base of the seawall during all repair work to capture all construction debris. The tarp will be on the seaward side of the seawall. The tarp will be rolled up and dumped into a disposal trailer as required throughout the work day and will be removed at the end of each work day.

NOI 40-1308, 9 Goodwins Ct. – Goodwins Court Realty Trust

Appeared: Rick Fishkin, Trustee and Scott Patrowicz, Patrowicz Land Development Engineering
Proposed: Repair and maintenance of existing building, grounds and seawall.

Control Drawing: "Site Plan – 9 Goodwins Court, dated 2/15/18 prepared by Scott Patrowicz, Patrowicz Land Development Engineering.

Applicant presented plans as provided in application.

The Commission noted that additional control measures should be considered for the roofing work.

All members voted to close the hearing. All members voted to issue an OOC with the following special conditions:

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation

Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. When the repair of a seawall entails the use of existing rip-rap which was previously located at the toe of the seawall but has been distributed onto the beach seaward of the seawall by wave action, the following applies. The rip-rap lying above the mean high tide line can be re-located to the toe of the seawall. The rip-rap lying at or below the mean high tide line cannot be disturbed. This special condition is not a surviving condition and is valid only for that work specified for this particular application. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repair work on an existing existing riprap revetment.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

54. The control drawing/s for this project were prepared by a licensed Professional. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Progress reports shall be submitted by said professional at regular intervals while work is progressing on the project. The reporting interval shall be determined by the Commission based on the scope and anticipated duration of the project. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

102. A tarp will be laid down at the base of the seawall during all repair work to capture all construction debris. The tarp will be on the seaward side of the seawall. The tarp will be rolled up and dumped into a disposal trailer as required throughout the work day and will be removed at the end of each work day.

NOI 40-1304, 7 Redstone Lane – Laurence R and Anne D Clark

Appeared: Owners and Scott Patrowicz, Patrowicz Land Development Engineering and Craig Bosworth, Architect

Proposed: Proposed house addition and sitework.

Control Drawing: "Site Plan – 7 Redstone Lane, dated 2/20/18 prepared by Scott Patrowicz, Patrowicz Land Development Engineering.

Applicant presented plans as provided in application.

All members voted to close the hearing. All members voted to issue an OOC with the following special conditions:

Revised site plan shall be submitted noting the stepping stones, reduction of the deck area to keep the deck outside of the resource area and building elevations.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

38. Any pressure-treated wood proposed to be used in the construction of a structure for land - based use shall be arsenic-free. Any pressure-treated wood proposed to be used in the construction of a structure for salt water contact shall be treated with Chromated Copper Arsenate (CCA) or other preservative approved by the EPA and/or the MADEP which is less polluting and harmful to the salt water and its environment.

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines"**.

Executive Session

An announcement was made that the Commission will be entering Executive Session and will not be coming back into open session. See minutes for Executive Session.