

Marblehead Conservation Commission
Minutes April 12, 2018

Meeting was held in the lower conference room at the Mary A. Alley Building, 7 Widger Road

Meeting was called to order at 7:15 PM

Present were: Commission Members Fred Sullivan, David Depew, Michael Smith, David VanHoven and Jesse Alderman. Also present was Conservation Administrator and Town Engineer, Charles Quigley. Brian LeClair arrived to the meeting at 7:30PM and did not participate in the discussion items for 33 Gregory Street, 15 Whittier Pond Maintenance, 11 Goldthwait Rd yard maintenance and 42 Gallison Ave yard maintenance.

The hearings were conducted under the Massachusetts Wetlands Protection Act and the Marblehead Wetlands Protection Bylaw.

Note: The commission currently has six members. Per the MACC Handbook, section 4.1.2, most lawyers agree that a quorum is "...a majority of commissioners currently serving". The quorum for this meeting is therefore four members.

DISCUSSIONS:

-33 Gregory Street. This discussion item will be moved to the May Meeting

-Tom Polimeni – 15 Whittier – Pond Maintenance. Also present was neighbor Dave Quade. Due to storm damage the resident would like to do maintenance at and around the pond to clean up downed trees. Commission explained that the resident would have to file an NOI. The resident will follow up with Charles Quigley to discuss the steps to file an NOI.

-Earl Dumas – Required yard maintenance due to storm damage near resource. Also present was Susan Dumas of 11 Goldthwait Road. The residents will file a minor activity permit.

-42 Gallison Ave - Required yard maintenance due to storm damage near resource. Resident Carl Manor will file a minor activity permit.

Requests for Certificate of Compliance:

40-1186 15 Spray Ave – William J. Willis

40-1115 44 Foster – Eastern Yacht Club

40-1205 16 Indian Head Circle – This was added to the agenda during the meeting by Charles Quigley.

All were approved by unanimous vote of the commission.

40-1139 1 Nahant St – Corinthian Yacht Club – This will be moved to the May meeting. Charles Quigley was not able to visit the property prior to the meeting.

Request for Minor Modification:

40-1299 257 Ocean Avenue – Raise Existing Carriage House. Steven Kapsalis along with Donald Roaf present. Also present was Attorney Bob Mcann representing the neighbor Michelle

Bell. Atty Mcann informed the commission that his client was not notified about the proposed work and is requesting that the commission vote no to the request for a minor modification due to the impact this work will cause. Donald Roaf, the contractor, mentioned that there may be some demolition to the existing building. Brian LeClair explained that demolition require a submitted plan and would not be considered a minor modification. The request only detail the raising of the existing structure, if anything beyond that happens the property owner will be required to a file a plan with the commission. All work needs to comply with the open order of conditions. All members voted to close the hearing. The Commission voted to approve the request.

HEARINGS:

NOI 40-1301 #2 & #3 Eustis Road – Eamonn Healey and Kathy Healey as well as Peter Ogren of Hayes Engineering were present. Proposed landscaping work for a single-family home. Per previous meeting comments, a straw waddle was added to the plan as well as the listed sqft of change in impervious surface. 3000 sqft impervious surface added. Brian Leclair suggests adding a mitigation feature to offset the added impervious area. Peter will submit the revised plan showing a rain garden. All members voted to close the hearing. The Commission voted to approve the request and issue an OOC with the following special conditions.

34. To the maximum extent possible, all driveways, terraces, patios or similar ground-level surfaces shall be constructed as permeable surfaces to allow water to infiltrate through their surfaces into the ground on site.

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

Post-construction/in perpetuity:

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This**

condition shall survive this order.

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

Added Condition:

Updated Landscaping Plan to be submitted for approval including the addition of a rain garden.

NOI 40-1307 8 Roydon Road – Richard and Ann Marie Jordon as well as Peter Ogren of Hayes Engineering. Deck addition. Per comments from the previous meeting the wall was eliminated from the plan and the added impervious area was added to the plan. All members voted to close the hearing. The Commission voted to approve the request and issue an OOC with the following special conditions.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

34. To the maximum extent possible, all driveways, terraces, patios or similar ground-level surfaces shall be constructed as permeable surfaces to allow water to infiltrate through their surfaces into the ground on site.

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

Post-construction/in perpetuity:

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of

Environmental Protection). **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

NOI 40-1309 5 Nashua Ave. – Cara Niles along with Peter Ogren of Hayes Engineering as well as Kurt Yong of Wetlands Preservation. Proposed seawall repairs, plant removal, stair construction. All members voted to close the hearing. The Commission voted to approve the request and issue an OOC with the following special conditions.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

Post-construction/in perpetuity:

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. When the repair of a seawall entails the use of existing rip-rap which was previously located at the toe of the seawall but has been distributed onto the beach seaward of the seawall by wave action, the following applies. The rip-rap lying above the mean high tide line can be re-located to the toe of the seawall. The rip-rap lying at or below the mean high tide line cannot be disturbed. This special condition is not a surviving condition and is valid only for that work specified for this particular application. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repair work on an existing existing riprap revetment.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

54. The control drawing/s for this project were prepared by a licensed Professional. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Progress reports shall be submitted by said professional at regular intervals while work is progressing on the project. The reporting interval shall be determined by the Commission based on the scope and anticipated duration of the project. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be

performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines"**.

102. A tarp will be laid down at the base of the seawall during all repair work to capture all construction debris. The tarp will be on the seaward side of the seawall. The tarp will be rolled up and dumped into a disposal trailer as required throughout the work day and will be removed at the end of each work day.

NOI 40-1310 8 Nashua Ave. – Donald and Andrea Souter along with Peter Ogren of Hayes Engineering as well as Kurt Yong of Wetlands Preservation. Proposed retaining wall repairs. All members voted to close the hearing. All members voted to issue an OOC with the following special conditions.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

Post-construction/in perpetuity:

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the

subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. When the repair of a seawall entails the use of existing rip-rap which was previously located at the toe of the seawall but has been distributed onto the beach seaward of the seawall by wave action, the following applies. The rip-rap lying above the mean high tide line can be re-located to the toe of the seawall. The rip-rap lying at or below the mean high tide line cannot be disturbed. This special condition is not a surviving condition and is valid only for that work specified for this particular application. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repair work on an existing existing riprap revetment.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

54. The control drawing/s for this project were prepared by a licensed Professional. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Progress reports shall be submitted by said professional at regular intervals while work is progressing on the project. The reporting interval shall be determined by the Commission based on the scope and anticipated duration of the project. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

102. A tarp will be laid down at the base of the seawall during all repair work to capture all construction debris. The tarp will be on the seaward side of the seawall. The tarp will be rolled up and dumped into a disposal trailer as required throughout the work day and will be removed at the end of each work day.

NOI 40-13XX 34 Crestwood Rd – Proposed pier replacement and repair. No one appeared to present. This hearing is continued without opening.

NOI 40-1323 32 Crestwood Rd – Robert and Kara Pascal
Proposed pier replacement and repair. All members voted to close the hearing. All members voted to issue an OOC with the following special conditions.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

34. To the maximum extent possible, all driveways, terraces, patios or similar ground-level surfaces shall be constructed as permeable surfaces to allow water to infiltrate through their surfaces into the ground on site.

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

37. The construction of the pier/dock and any structure over the water permanently secured to the earth shall withstand a 100-year storm without damage to the integrity of the structure. All piers/docks shall conform to the requirements of Chapter 91.

38. Any pressure-treated wood proposed to be used in the construction of a structure for land - based use shall be arsenic-free. Any pressure-treated wood proposed to be used in the construction of a structure for salt water contact shall be treated with Chromated Copper Arsenate (CCA) or other preservative approved by the EPA and/or the MADEP which is less polluting and harmful to the salt water and its environment.

39. All piers, docks and floats must follow the guidelines established in the document, “Small Docks and Piers – A Guide to Permitting Small Pile-Supported Docks and Piers” dated November 2003. Float stops are permitted provided they meet the aforementioned guidelines.

Post-construction/in perpetuity:

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the

property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

46. All gangways, docks or other items not permanently secured to the earth shall be stored during the "off season" (late fall, winter, early spring) so as to prevent them from causing any damage to other structures or resource area. **This condition shall survive this order.**

47. All gangways, docks or other items not permanently secured to the earth shall be properly secured and/or removed in the event of a major storm so as to prevent them from causing any damage to other structures or to the resource area. **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

51. Minor maintenance repairs to the superstructure only of the pier are allowed as a surviving condition of this order. Minor maintenance repairs are, typically, replacement of occasional deck boards, sections of hand rails, etc. Complete new decking, complete new hand rails or other such large repairs require an NOI. Minor maintenance repairs do not apply to the main support structure (stringers, bents, etc.) and do require an NOI. **This condition shall survive this order.**

52. If the pilings supporting a pier have not been painted or treated with a chemical substance, the pilings may be hand scraped to remove barnacles and other marine growth. The scraped material may remain on the beach/tidal flat. However, if the state declares a state of contamination (such as Red Tide) in an area wherein the pilings have been resident, tarps or a similar containment method must be located in the work area so as to cover the entire work area where scraping is performed. Tarps are to be cleaned of scraped material at the end of each day when scraping is performed and the scrapings disposed of in a proper manner for such contaminated materials.

If the pilings supporting a pier have been painted or treated with a chemical substance, the pilings may be hand scraped to remove barnacles and other marine growth. Tarps or a similar containment method must be located in the work area so as to cover the entire work area where scraping is performed. Tarps are to be cleaned of scraped material at the end of each day when scraping is performed and the scrapings disposed of in a proper manner for materials which include paint or treatment.

For all types of pilings (painted or unpainted/treated or untreated), a protocol must be submitted to the Conservation Commission for approval in advance of the scraping. The protocol must contain: whether the pilings are painted or unpainted/treated or untreated; whether the pilings

have been contaminated; if painted or treated, the exact type of paint being scraped/if treated, the exact type of treatment; the dates and times of intended scraping (start and finish); the exact location of the intended scraping; a description of the containment method; a description of the scraping method; the final location for disposal of the paint scrapings or, if applicable, contaminated scrapings. If the pilings are to be repainted/re-treated, the exact type of paint/treatment must be identified and must be approved per the latest state and federal guidelines for such applications. The person ordering the scraping/painting/treatment must sign and date the protocol and submit it to the Marblehead Conservation Commission before any work is started. **This condition shall survive this order.**

54. The control drawing/s for this project were prepared by a licensed Professional. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Progress reports shall be submitted by said professional at regular intervals while work is progressing on the project. The reporting interval shall be determined by the Commission based on the scope and anticipated duration of the project. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

NOI 40-1321 329 Ocean Ave – Summer Home Realty Tr.. Steve Connolly of Connolly Brothers and Peter Ogren of Hayes Engineering. Proposed seawall repair and maintenance. The proposed plan was revised dated 4/12/18. This plan will be submitted to Charles Quigley. All members voted to close the hearing. All members voted to issue an OOC with the following special conditions.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as

far back from the resource areas as possible.

Post-construction/in perpetuity:

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. When the repair of a seawall entails the use of existing rip-rap which was previously located at the toe of the seawall but has been distributed onto the beach seaward of the seawall by wave action, the following applies. The rip-rap lying above the mean high tide line can be re-located to the toe of the seawall. The rip-rap lying at or below the mean high tide line cannot be disturbed. This special condition is not a surviving condition and is valid only for that work specified for this particular application. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repair work on an existing existing riprap revetment.**

44. The back-filling of small areas of erosion landward of a seawall is allowed as a surviving condition provided the erosion is not on a coastal bank. This back-filling applies to areas defined primarily as Land Subject to Coastal Storm Flowage. Any work on a coastal bank requires an NOI. The back-fill material must be clean and compatible with the eroded material. Prior to any back-filling, the scope of the proposed back-filling must be approved by the Conservation Commission. **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in

Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

54. The control drawing/s for this project were prepared by a licensed Professional. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Progress reports shall be submitted by said professional at regular intervals while work is progressing on the project. The reporting interval shall be determined by the Commission based on the scope and anticipated duration of the project. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

102. A tarp will be laid down at the base of the seawall during all repair work to capture all construction debris. The tarp will be on the seaward side of the seawall. The tarp will be rolled up and dumped into a disposal trailer as required throughout the work day and will be removed at the end of each work day.

NOI 40-1320 92 Harbor Ave – Steve Connolly of Connolly Brothers and Peter Ogren of Hayes Engineering. Proposed seawall repair and maintenance. The proposed plan was revised dated 4/12/18. This plan will be submitted to Charles Quigley. Peter explained that no work is proposed seaward of the wall. Commissioner Sullivan suggested making dowels mandatory not optional. All members voted to close the hearing. All members voted to issue an OOC with the following special conditions.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

Post-construction/in perpetuity:

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. When the repair of a seawall entails the use of existing rip-rap which was previously located at the toe of the seawall but has been distributed onto the beach seaward of the seawall by wave action, the following applies. The rip-rap lying above the mean high tide line can be re-located to the toe of the seawall. The rip-rap lying at or below the mean high tide line cannot be disturbed. This special condition is not a surviving condition and is valid only for that work specified for this particular application. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repair work on an existing existing riprap revetment.**

44. The back-filling of small areas of erosion landward of a seawall is allowed as a surviving condition provided the erosion is not on a coastal bank. This back-filling applies to areas defined primarily as Land Subject to Coastal Storm Flowage. Any work on a coastal bank requires an NOI. The back-fill material must be clean and compatible with the eroded material. Prior to any back-filling, the scope of the proposed back-filling must be approved by the Conservation Commission. **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

54. The control drawing/s for this project were prepared by a licensed Professional. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Progress reports shall be submitted by said professional at regular intervals while work is progressing on the project. The reporting interval shall be determined by the Commission based on the scope and anticipated duration of the project. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

102. A tarp will be laid down at the base of the seawall during all repair work to capture all construction debris. The tarp will be on the seaward side of the seawall. The tarp will be rolled up and dumped into a disposal trailer as required throughout the work day and will be removed at the end of each work day.

Added Condition

- Dowels are required to be epoxied into steps

NOI 40-1319 46 Foster St – Sam Webb along with Steve Connolly of Connolly Brothers and Peter Ogren of Hayes Engineering. Proposed seawall repair and maintenance including a raised wall with a deflector cap. The plan was revised dated 4/12/18, adding a black chain link fence and the removal of a hedge. Chairman Leclair explained that the commission did not receive DEP comments. Peter Ogren had a copy of the comments and distributed them to the commission. All members voted to close the hearing. All members voted to issue an OOC with the following special conditions.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

Post-construction/in perpetuity:

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. When the repair of a seawall entails the use of existing rip-rap which was previously located at the toe of the seawall but has been distributed onto the beach seaward of the seawall by wave action, the following applies. The rip-rap lying above the mean high tide line can be re-located to the toe of the seawall. The rip-rap lying at or below the mean high tide line cannot be disturbed. This special condition is not a surviving condition and is valid only for that work specified for this particular application. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repair work on an existing existing riprap revetment.**

44. The back-filling of small areas of erosion landward of a seawall is allowed as a surviving condition provided the erosion is not on a coastal bank. This back-filling applies to areas defined

primarily as Land Subject to Coastal Storm Flowage. Any work on a coastal bank requires an NOI. The back-fill material must be clean and compatible with the eroded material. Prior to any back-filling, the scope of the proposed back-filling must be approved by the Conservation Commission. **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

54. The control drawing/s for this project were prepared by a licensed Professional. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Progress reports shall be submitted by said professional at regular intervals while work is progressing on the project. The reporting interval shall be determined by the Commission based on the scope and anticipated duration of the project. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

102. A tarp will be laid down at the base of the seawall during all repair work to capture all construction debris. The tarp will be on the seaward side of the seawall. The tarp will be rolled up and dumped into a disposal trailer as required throughout the work day and will be removed at the end of each work day.

NOI 40-1322 14 Harbor Ave – Arnold and Maria A. Kline along with Scott Patrowics and Zachary Jenkins of Collins Engineering. Proposed seawall repair and maintenance, sitework. All members voted to close the hearing. All members voted to issue an OOC with the following special conditions.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

Post-construction/in perpetuity:

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. When the repair of a seawall entails the use of existing rip-rap which was previously located at the toe of the seawall but has been distributed onto the beach seaward of the seawall by wave action, the following applies. The rip-rap lying above the mean high tide line can be re-located to the toe of the seawall. The rip-rap lying at or below the mean high tide line cannot be disturbed. This special condition is not a surviving condition and is valid only for that work specified for this particular application. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repair work on an existing existing riprap revetment.**

44. The back-filling of small areas of erosion landward of a seawall is allowed as a surviving condition provided the erosion is not on a coastal bank. This back-filling applies to areas defined

primarily as Land Subject to Coastal Storm Flowage. Any work on a coastal bank requires an NOI. The back-fill material must be clean and compatible with the eroded material. Prior to any back-filling, the scope of the proposed back-filling must be approved by the Conservation Commission. **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

54. The control drawing/s for this project were prepared by a licensed Professional. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Progress reports shall be submitted by said professional at regular intervals while work is progressing on the project. The reporting interval shall be determined by the Commission based on the scope and anticipated duration of the project. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

102. A tarp will be laid down at the base of the seawall during all repair work to capture all construction debris. The tarp will be on the seaward side of the seawall. The tarp will be rolled up and dumped into a disposal trailer as required throughout the work day and will be removed at the end of each work day.

Added Conditions

- Structural engineer to periodically inspect the sand bag and pumping system during high tide and at least once every 3 days and follow up with an email to the Commission to confirm.
- To minimize sedimentation, any excavation or fill activities should be performed in the dry, and disturbed soils should be stabilized before the next incoming tide. We recognize this will be achieved at the locations with temporary cofferdams and pump systems as well as booms systems.
- Equipment should be operated from the upland to the greatest extent possible.

NOI 40-1317 22 Harbor Ave – Scott Patrowics and Ed Mole. Propsed seawall repair and maintenance. All members voted to close the hearing. All members voted to issue an OOC with the following special conditions.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

Post-construction/in perpetuity:

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. When the repair of a seawall entails the use of existing rip-rap which was previously located at the toe of the seawall but has been distributed onto the beach seaward of the seawall by wave action, the following applies. The rip-rap lying above the mean high tide line can be re-located

to the toe of the seawall. The rip-rap lying at or below the mean high tide line cannot be disturbed. This special condition is not a surviving condition and is valid only for that work specified for this particular application. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repair work on an existing existing riprap revetment.**

44. The back-filling of small areas of erosion landward of a seawall is allowed as a surviving condition provided the erosion is not on a coastal bank. This back-filling applies to areas defined primarily as Land Subject to Coastal Storm Flowage. Any work on a coastal bank requires an NOI. The back-fill material must be clean and compatible with the eroded material. Prior to any back-filling, the scope of the proposed back-filling must be approved by the Conservation Commission. **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

54. The control drawing/s for this project were prepared by a licensed Professional. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Progress reports shall be submitted by said professional at regular intervals while work is progressing on the project. The reporting interval shall be determined by the Commission based on the scope and anticipated duration of the project. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

102. A tarp will be laid down at the base of the seawall during all repair work to capture all construction debris. The tarp will be on the seaward side of the seawall. The tarp will be rolled up and dumped into a disposal trailer as required throughout the work day and will be removed at the end of each work day.

Added Conditions

- Structural engineer to periodically inspect the sand bag and pumping system during high tide and at least once every 3 days and follow up with an email to the Commission to confirm.
- To minimize sedimentation, any excavation or fill activities should be performed in the dry, and disturbed soils should be stabilized before the next incoming tide. We recognize this will be achieved at the locations with temporary cofferdams and pump systems as well as booms systems.
- Equipment should be operated from the upland to the greatest extent possible.

NOI 40-1312 27 Ballast Ln – Scott Patrowics. Propsed sitework and masonry. All members voted to close the hearing. All members voted to issue an OOC with the following special conditions.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

Post-construction/in perpetuity:

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

45. When a pool/spa/hot tub is to be drained, no chlorine or other chemicals are to be added to

the pool water for a period of at least four (4) days prior to draining to allow for the chlorine and other chemicals to dissipate; and there shall be an appropriate sign placed permanently at or immediately adjacent to the pool/spa/hot tub drainage valve or mechanism indicating this requirement. The method of pool drainage shall be such as to prevent any soil erosion by the draining water and to allow the draining water to seep into the ground prior to entering any resource waters. No direct discharge to resource waters is allowed. **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

102. A tarp will be laid down at the base of the seawall during all repair work to capture all construction debris. The tarp will be on the seaward side of the seawall. The tarp will be rolled up and dumped into a disposal trailer as required throughout the work day and will be removed at the end of each work day.

NOI 40-1318 45 Beacon St – Jonathan and Jennie Putnam along with Scott Patrowics along and Ed Mole. Proposed sitework, seawall repairs and masonry. All members voted to close the hearing. All members voted to issue an OOC with the following special conditions.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

Post-construction/in perpetuity:

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. When the repair of a seawall entails the use of existing rip-rap which was previously located at the toe of the seawall but has been distributed onto the beach seaward of the seawall by wave action, the following applies. The rip-rap lying above the mean high tide line can be re-located to the toe of the seawall. The rip-rap lying at or below the mean high tide line cannot be disturbed. This special condition is not a surviving condition and is valid only for that work specified for this particular application. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repair work on an existing existing riprap revetment.**

44. The back-filling of small areas of erosion landward of a seawall is allowed as a surviving condition provided the erosion is not on a coastal bank. This back-filling applies to areas defined primarily as Land Subject to Coastal Storm Flowage. Any work on a coastal bank requires an NOI. The back-fill material must be clean and compatible with the eroded material. Prior to any back-filling, the scope of the proposed back-filling must be approved by the Conservation Commission. **This condition shall survive this order.**

45. When a pool/spa/hot tub is to be drained, no chlorine or other chemicals are to be added to the pool water for a period of at least four (4) days prior to draining to allow for the chlorine and other chemicals to dissipate; and there shall be an appropriate sign placed permanently at or immediately adjacent to the pool/spa/hot tub drainage valve or mechanism indicating this

requirement. The method of pool drainage shall be such as to prevent any soil erosion by the draining water and to allow the draining water to seep into the ground prior to entering any resource waters. No direct discharge to resource waters is allowed. **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

54. The control drawing/s for this project were prepared by a licensed Professional. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Progress reports shall be submitted by said professional at regular intervals while work is progressing on the project. The reporting interval shall be determined by the Commission based on the scope and anticipated duration of the project. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

102. A tarp will be laid down at the base of the seawall during all repair work to capture all construction debris. The tarp will be on the seaward side of the seawall. The tarp will be rolled up and dumped into a disposal trailer as required throughout the work day and will be removed at the end of each work day.

Added Conditions

- Structural engineer to periodically inspect the sand bag and pumping system during high tide and at least once every 3 days and follow up with an email to the Commission to confirm.
- To minimize sedimentation, any excavation or fill activities should be performed in the dry, and disturbed soils should be stabilized before the next incoming tide. We recognize this will be achieved at the locations with temporary cofferdams and pump systems as well as booms systems.
- Equipment should be operated from the upland to the greatest extent possible.

NOI 40-1315 400 Ocean Ave – Scott Patrowics. Proposed seawall repairs, sitework. Mr. Patrowics explained that this work has already been completed in accordance with the submitted plan. David Bennett of 9 Corinthian Lane explained that Bartlett & Steadman, the contractor, damaged the asphalt on Corinthian Lane and Mr. Bennett would like it repaired. Chairman Leclair explained that we do not have the authority to enforce the Contractor to make this repair on a private way but the Commission will extend the request. All members voted to close the hearing. All members voted to issue an OOC with the following special conditions.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

Post-construction/in perpetuity:

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. When the repair of a seawall entails the use of existing rip-rap which was previously located at the toe of the seawall but has been distributed onto the beach seaward of the seawall by wave action, the following applies. The rip-rap lying above the mean high tide line can be re-located to the toe of the seawall. The rip-rap lying at or below the mean high tide line cannot be disturbed. This special condition is not a surviving condition and is valid only for that work specified for this particular application. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repair work on an existing existing riprap revetment.**

44. The back-filling of small areas of erosion landward of a seawall is allowed as a surviving condition provided the erosion is not on a coastal bank. This back-filling applies to areas defined primarily as Land Subject to Coastal Storm Flowage. Any work on a coastal bank requires an NOI. The back-fill material must be clean and compatible with the eroded material. Prior to any back-filling, the scope of the proposed back-filling must be approved by the Conservation Commission. **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

54. The control drawing/s for this project were prepared by a licensed Professional. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Progress reports shall be submitted by said professional at regular intervals while work is progressing on the project. The reporting interval shall be determined by the Commission based on the scope and anticipated duration of the project. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

Added Condition

- Submit survey plan showing how the new wall ties into the existing wall.

NOI 40-1313 425 Ocean Ave – Scott Patrowics and Atty Bob Mcann. Proposed seawall repairs, sitework. Mr. Patrowics clarified that only the red highlighted stone in the plan is proposed for the work. All members voted to close the hearing. All members voted to issue an OOC with the following special conditions.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

Post-construction/in perpetuity:

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. When the repair of a seawall entails the use of existing rip-rap which was previously located at the toe of the seawall but has been distributed onto the beach seaward of the seawall by wave action, the following applies. The rip-rap lying above the mean high tide line can be re-located to the toe of the seawall. The rip-rap lying at or below the mean high tide line cannot be disturbed. This special condition is not a surviving condition and is valid only for that work specified for this particular application. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repair work on an existing existing riprap revetment.**

44. The back-filling of small areas of erosion landward of a seawall is allowed as a surviving condition provided the erosion is not on a coastal bank. This back-filling applies to areas defined primarily as Land Subject to Coastal Storm Flowage. Any work on a coastal bank requires an NOI. The back-fill material must be clean and compatible with the eroded material. Prior to any back-filling, the scope of the proposed back-filling must be approved by the Conservation Commission. **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

54. The control drawing/s for this project were prepared by a licensed Professional. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Progress reports shall be submitted by said professional at regular intervals while work is progressing on the project. The reporting interval shall be determined by the Commission based on the scope and anticipated duration of the project. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

102. A tarp will be laid down at the base of the seawall during all repair work to capture all construction debris. The tarp will be on the seaward side of the seawall. The tarp will be rolled up and dumped into a disposal trailer as required throughout the work day and will be removed at the end of each work day.

NOI 40-1316 429 Ocean Ave – Scott Patrowics and Atty Bob Mcann. Proposed seawall repairs, sitework. Mr. Patrowics explained that the wall is being repaired in kind. All members voted to close the hearing. All members voted to issue an OOC with the following special conditions.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

Post-construction/in perpetuity:

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. When the repair of a seawall entails the use of existing rip-rap which was previously located at the toe of the seawall but has been distributed onto the beach seaward of the seawall by wave action, the following applies. The rip-rap lying above the mean high tide line can be re-located to the toe of the seawall. The rip-rap lying at or below the mean high tide line cannot be disturbed. This special condition is not a surviving condition and is valid only for that work specified for this particular application. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repair work on an existing existing riprap revetment.**

44. The back-filling of small areas of erosion landward of a seawall is allowed as a surviving condition provided the erosion is not on a coastal bank. This back-filling applies to areas defined primarily as Land Subject to Coastal Storm Flowage. Any work on a coastal bank requires an NOI. The back-fill material must be clean and compatible with the eroded material. Prior to any back-filling, the scope of the proposed back-filling must be approved by the Conservation Commission. **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

54. The control drawing/s for this project were prepared by a licensed Professional. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Progress reports shall be submitted by said professional at regular intervals while work is progressing on the project. The reporting interval shall be determined by the Commission based on the scope and anticipated duration of the project. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

102. A tarp will be laid down at the base of the seawall during all repair work to capture all construction debris. The tarp will be on the seaward side of the seawall. The tarp will be rolled up and dumped into a disposal trailer as required throughout the work day and will be removed at the end of each work day.

NOI 40-1314 0 Bracket PI – Glover Landing Condo Tr Sue Teischman along with Scott Patrowics and Ed Mole. Proposed seawall repairs, sitework. Mr. Patrowics explained that the wall will be replaced in kind. All members voted to close the hearing. All members voted to issue an OOC with the following special conditions.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

Post-construction/in perpetuity:

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. When the repair of a seawall entails the use of existing rip-rap which was previously located at the toe of the seawall but has been distributed onto the beach seaward of the seawall by wave action, the following applies. The rip-rap lying above the mean high tide line can be re-located to the toe of the seawall. The rip-rap lying at or below the mean high tide line cannot be disturbed. This special condition is not a surviving condition and is valid only for that work specified for this particular application. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repair work on an existing existing riprap revetment.**

44. The back-filling of small areas of erosion landward of a seawall is allowed as a surviving condition provided the erosion is not on a coastal bank. This back-filling applies to areas defined primarily as Land Subject to Coastal Storm Flowage. Any work on a coastal bank requires an NOI. The back-fill material must be clean and compatible with the eroded material. Prior to any back-filling, the scope of the proposed back-filling must be approved by the Conservation Commission. **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

54. The control drawing/s for this project were prepared by a licensed Professional. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Progress reports shall be submitted by said professional at regular intervals while work is progressing on the project. The reporting interval shall be determined by the Commission based on the scope and anticipated duration of the project. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

102. A tarp will be laid down at the base of the seawall during all repair work to capture all construction debris. The tarp will be on the seaward side of the seawall. The tarp will be rolled up and dumped into a disposal trailer as required throughout the work day and will be removed at the end of each work day.

Added Conditions

- Structural engineer to periodically inspect the sand bag and pumping system during high tide and at least once every 3 days and follow up with an email to the Commission to confirm.
- To minimize sedimentation, any excavation or fill activities should be performed in the dry, and disturbed soils should be stabilized before the next incoming tide. We recognize this will be achieved at the locations with temporary cofferdams and pump systems as well as booms systems.
- Equipment should be operated from the upland to the greatest extent possible.

NOI 40-1311 1 Desmoulin Ln – Scott Patrowics along with Zachary Jenkins of Collins Engineering. Proposed seawall repairs, sitework. It is MassDEP's opinion that replacing lawn with concrete pad is counter to Coastal Bank performance standards. Concrete pad is likely to accelerate storm waves and increase damage. Mr. Patrowics to submit a new plan to the commission showing grass between the seawall and new splash wall with a return. All members voted to close the hearing. All members voted to issue an OOC with the following special conditions.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

Post-construction/in perpetuity:

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to**

any proposed repointing or repair work on existing walls. All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. When the repair of a seawall entails the use of existing rip-rap which was previously located at the toe of the seawall but has been distributed onto the beach seaward of the seawall by wave action, the following applies. The rip-rap lying above the mean high tide line can be re-located to the toe of the seawall. The rip-rap lying at or below the mean high tide line cannot be disturbed. This special condition is not a surviving condition and is valid only for that work specified for this particular application. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repair work on an existing existing riprap revetment.**

44. The back-filling of small areas of erosion landward of a seawall is allowed as a surviving condition provided the erosion is not on a coastal bank. This back-filling applies to areas defined primarily as Land Subject to Coastal Storm Flowage. Any work on a coastal bank requires an NOI. The back-fill material must be clean and compatible with the eroded material. Prior to any back-filling, the scope of the proposed back-filling must be approved by the Conservation Commission. **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

54. The control drawing/s for this project were prepared by a licensed Professional. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Progress reports shall be submitted by said professional at regular intervals while work is progressing on the project. The reporting interval shall be determined by the Commission based on the scope and anticipated duration of the project. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or

(b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines"**.

102. A tarp will be laid down at the base of the seawall during all repair work to capture all construction debris. The tarp will be on the seaward side of the seawall. The tarp will be rolled up and dumped into a disposal trailer as required throughout the work day and will be removed at the end of each work day.

Approval of Minutes:

Edits made to the March Meeting Minutes

- Actual vote to go into executive session needs to be in public minutes
- Announced that we would not be going back into open session at the end of the executive session.
- Meeting adjournment needs to go into executive session minutes

Commission did not approve the March Meeting Minutes. Commission will vote at a later date once the edits have been made.

Other Business:

All members voted to pay the \$840 legal fee for the Groom Litigation.

Meeting was adjourned at 10:30 PM.