

**Marblehead Conservation Commission
Minutes May10, 2018**

Meeting was held in the lower conference room at the Mary A. Alley Building, 7 Widger Road

Meeting was called to order at 7:10 PM

Present were: Commission Members Brian LeClair, Fred Sullivan, Jesse Alderman, Michael Smith, and David VanHoven. Also present was Conservation Administrator and Town Engineer, Charles Quigley.

The hearings were conducted under the Massachusetts Wetlands Protection Act and the Marblehead Wetlands Protection Bylaw.

Note: The commission currently has seven members. Per the MACC Handbook, section 4.1.2, most lawyers agree that a quorum is "...a majority of commissioners currently serving". The quorum for this meeting is therefore four members.

Approval of Minutes:

Motion to approve minutes of meeting held on March 8, 2018, was made and minutes were approved.

Motion to approve minutes of the executive session held on March 8, 2018, was made and minutes were approved.

Motion to approve minutes of meeting held on April 12, 2018, was made and minutes were approved.

DISCUSSIONS:

- **1 Little Harbor Way** – National Grid – Landscaping request. There was a 5/9/18 minor activity permit application. Commission members agreed with the issuance of a minor activity permit.
- **34 Gregory St** – working in a resource area without permits. Brian Rice appeared and presented photos and indicated that they will be submitting an NOI.

Request for Certificate of Compliance

- **40-1186**, 15 Spray Ave – William J. Willis – The CoC request was postponed to June meeting.
- **40-1139**, 1 Nahant St – Corinthian YC – Building maintenance, pier painting. The Commission voted to approve by unanimous vote with Brian Leclair abstaining.
- **40-1169**, 75 Naugus Way – Heidi Herlihy – Landscaping. The Commission voted to approve by unanimous vote.
- **40-1171**, 147 Front St – Marblehead Harbor Condo Tr – roof. The Commission voted to approve by unanimous vote.

- ***Need file #**, 0 Bracket Place – Glover Landing – roof. The Commission voted to grant a one-year extension by unanimous vote.

HEARINGS:

NOI 40-1325, 34 Crestwood Rd – Patrick Andreasen

Appeared: Owners and Scott Patrowicz, Patrowicz Land Development Engineering

Proposed: Pier replacement and repair.

Control Drawing: **XXX.**

Applicant presented plans as provided in application.

All members voted to close the hearing. All members voted to issue an OOC with the following special conditions:

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

37. The construction of the pier/dock and any structure over the water permanently secured to the earth shall withstand a 100-year storm without damage to the integrity of the structure. All piers/docks shall conform to the requirements of Chapter 91.

38. Any pressure-treated wood proposed to be used in the construction of a structure for land-based use shall be arsenic-free. Any pressure-treated wood proposed to be used in the construction of a structure for salt water contact shall be treated with Chromated Copper Arsenate (CCA) or other preservative approved by the EPA and/or the MADEP which is less polluting and harmful to the salt water and its environment.

39. All piers, docks and floats must follow the guidelines established in the document, “Small Docks and Piers – A Guide to Permitting Small Pile-Supported Docks and Piers” dated November 2003. Float stops are permitted provided they meet the aforementioned guidelines.

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To

mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

46. All gangways, docks or other items not permanently secured to the earth shall be stored during the "off season" (late fall, winter, early spring) so as to prevent them from causing any damage to other structures or resource area. **This condition shall survive this order.**

47. All gangways, docks or other items not permanently secured to the earth shall be properly secured and/or removed in the event of a major storm so as to prevent them from causing any damage to other structures or to the resource area. **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

51. Minor maintenance repairs to the superstructure only of the pier are allowed as a surviving condition of this order. Minor maintenance repairs are, typically, replacement of occasional deck boards, sections of hand rails, etc. Complete new decking, complete new hand rails or other such large repairs require an NOI. Minor maintenance repairs do not apply to the main support structure (stringers, bents, etc.) and do require an NOI. **This condition shall survive this order.**

52. If the pilings supporting a pier have not been painted or treated with a chemical substance, the pilings may be hand scraped to remove barnacles and other marine growth. The scraped material may remain on the beach/tidal flat. However, if the state declares a state of contamination (such as Red Tide) in an area wherein the pilings have been resident, tarps or a similar containment method must be located in the work area so as to cover the entire work area where scraping is performed. Tarps are to be cleaned of scraped material at the end of each day when scraping is performed and the scrapings disposed of in a proper manner for such contaminated materials.

If the pilings supporting a pier have been painted or treated with a chemical substance, the pilings may be hand scraped to remove barnacles and other marine growth. Tarps or a similar containment method must be located in the work area so as to cover the entire work area where scraping is performed. Tarps are to be cleaned of scraped material at the end of each day when scraping is performed and the scrapings disposed of in a proper manner for materials which include paint or treatment.

For all types of pilings (painted or unpainted/treated or untreated), a protocol must be submitted to the Conservation Commission for approval in advance of the scraping. The protocol must contain: whether the pilings are painted or unpainted/treated or untreated; whether the pilings have been contaminated; if painted or treated, the exact type of paint being scraped/if treated, the exact type of treatment; the dates and times of intended scraping (start and finish); the exact

location of the intended scraping; a description of the containment method; a description of the scraping method; the final location for disposal of the paint scrapings or, if applicable, contaminated scrapings. If the pilings are to be repainted/re-treated, the exact type of paint/treatment must be identified and must be approved per the latest state and federal guidelines for such applications. The person ordering the scraping/painting/treatment must sign and date the protocol and submit it to the Marblehead Conservation Commission before any work is started. **This condition shall survive this order.**

54. The control drawing/s for this project were prepared by a licensed Professional. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Progress reports shall be submitted by said professional at regular intervals while work is progressing on the project. The reporting interval shall be determined by the Commission based on the scope and anticipated duration of the project. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

102. A tarp will be laid down at the base of the seawall during all repair work to capture all construction debris. The tarp will be on the seaward side of the seawall. The tarp will be rolled up and dumped into a disposal trailer as required throughout the work day and will be removed at the end of each work day.

NOI 40-1330, 226 Ocean Ave – Steve Miller

Appeared: John Dick and James Emmanuel, James Emmanuel Associates

Proposed: Landscaping and maintenance.

Control Drawing: Proposed Site Plan for 226 Ocean Ave dated 4/17/18 by James Emmanuel Associates. **See conditions for revised plan requirement

Applicant presented plans as provided in application.

Priscilla Danforth of 17 Flint St spoke about a well and pump that was relocated and noted that the property is low and damp.

All members voted to close the hearing. All members voted to issue an OOC with the following special conditions:

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

34. To the maximum extent possible, all driveways, terraces, patios or similar ground-level surfaces shall be constructed as permeable surfaces to allow water to infiltrate through their surfaces into the ground on site.

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: [A Homeowner's Guide to Environmentally Sound Lawn care](#) published by the Massachusetts Department of Food and Agriculture and the booklet, [Don't Trash Grass](#), published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines"**.

XX. A revised plan shall be submitted showing the drywell to be installed and sized with calculations provided to be stamped by a professional engineer.

NOI 40-1326, 291B Ocean Ave – Rear 291 Ocean Ave 1992 Realty Trust

Appeared: Owner, Bob McCann and Scott Patrowicz, Patrowicz Land Development Engineering

Proposed: Seawall repair.

Control Drawing: Site Plan for 291B Ocean Ave dated 4/24/18 by Patrowicz Land Development Engineering.

Applicant presented plans as provided in application. Mark and Rhonda Hebiesen of 293 Ocean Ave asked about the height and construction time.

All members voted to close the hearing. All members voted to issue an OOC with the following special conditions:

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

34. To the maximum extent possible, all driveways, terraces, patios or similar ground-level surfaces shall be constructed as permeable surfaces to allow water to infiltrate through their surfaces into the ground on site.

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and

removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. When the repair of a seawall entails the use of existing rip-rap which was previously located at the toe of the seawall but has been distributed onto the beach seaward of the seawall by wave action, the following applies. The rip-rap lying above the mean high tide line can be re-located to the toe of the seawall. The rip-rap lying at or below the mean high tide line cannot be disturbed. This special condition is not a surviving condition and is valid only for that work specified for this particular application. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repair work on an existing existing riprap revetment.**

44. The back-filling of small areas of erosion landward of a seawall is allowed as a surviving condition provided the erosion is not on a coastal bank. This back-filling applies to areas defined primarily as Land Subject to Coastal Storm Flowage. Any work on a coastal bank requires an NOI. The back-fill material must be clean and compatible with the eroded material. Prior to any back-filling, the scope of the proposed back-filling must be approved by the Conservation Commission. **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

102. A tarp will be laid down at the base of the seawall during all repair work to capture all construction debris. The tarp will be on the seaward side of the seawall. The tarp will be rolled up and dumped into a disposal trailer as required throughout the work day and will be removed at the end of each work day.

NOI 40-1328, 8 Davis Rd – Henry Brauer

Appeared: Scott Patrowicz, Patrowicz Land Development Engineering

Proposed: Seawall repair.

Control Drawing: Site Plan for 8 Davis Rd dated 4/24/18 by Patrowicz Land Development Engineering, Proposed Seawall Section dated 4/20/18 by Structures North Consulting Engineers, Inc**See conditions requiring stamped plan.

Applicant presented plans as provided in application.

All members voted to close the hearing. All members voted to issue an OOC with the following special conditions:

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

34. To the maximum extent possible, all driveways, terraces, patios or similar ground-level surfaces shall be constructed as permeable surfaces to allow water to infiltrate through their surfaces into the ground on site.

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior

to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. When the repair of a seawall entails the use of existing rip-rap which was previously located at the toe of the seawall but has been distributed onto the beach seaward of the seawall by wave action, the following applies. The rip-rap lying above the mean high tide line can be re-located to the toe of the seawall. The rip-rap lying at or below the mean high tide line cannot be disturbed. This special condition is not a surviving condition and is valid only for that work specified for this particular application. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repair work on an existing existing riprap revetment.**

44. The back-filling of small areas of erosion landward of a seawall is allowed as a surviving condition provided the erosion is not on a coastal bank. This back-filling applies to areas defined primarily as Land Subject to Coastal Storm Flowage. Any work on a coastal bank requires an NOI. The back-fill material must be clean and compatible with the eroded material. Prior to any back-filling, the scope of the proposed back-filling must be approved by the Conservation Commission. **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

54. The control drawing/s for this project were prepared by a licensed Professional. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Progress reports shall be submitted by said professional at regular intervals while work is progressing on the project. The reporting interval shall be determined by the Commission based on the scope and anticipated duration of the project. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

102. A tarp will be laid down at the base of the seawall during all repair work to capture all construction debris. The tarp will be on the seaward side of the seawall. The tarp will be rolled up and dumped into a disposal trailer as required throughout the work day and will be removed at the end of each work day.

XX. A plan shall be submitted clearly identifying future or alternative components and noting the distance for wave dissipation concrete base (5') to be stamped by a professional engineer.

NOI 40-1327, 6 Corn Point Rd – Mark Pocharski

Appeared: Scott Patrowicz, Patrowicz Land Development Engineering

Proposed: Seawall repair.

Control Drawing: Site Plan for 6 Corn Point Rd dated 4/24/18 by Patrowicz Land Development Engineering, Proposed Seawall Sections (3) dated 4/23/18 by Structures North Consulting Engineers, Inc**See conditions requiring stamped plan.

Applicant presented plans as provided in application.

All members voted to close the hearing. All members voted to issue an OOC with the following special conditions:

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

34. To the maximum extent possible, all driveways, terraces, patios or similar ground-level surfaces shall be constructed as permeable surfaces to allow water to infiltrate through their surfaces into the ground on site.

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

37. The construction of the pier/dock and any structure over the water permanently secured to the earth shall withstand a 100-year storm without damage to the integrity of the structure. All piers/docks shall conform to the requirements of Chapter 91.

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: [A Homeowner's Guide to Environmentally Sound Lawn care](#) published by the Massachusetts Department of Food and

Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. When the repair of a seawall entails the use of existing rip-rap which was previously located at the toe of the seawall but has been distributed onto the beach seaward of the seawall by wave action, the following applies. The rip-rap lying above the mean high tide line can be re-located to the toe of the seawall. The rip-rap lying at or below the mean high tide line cannot be disturbed. This special condition is not a surviving condition and is valid only for that work specified for this particular application. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repair work on an existing existing riprap revetment.**

44. The back-filling of small areas of erosion landward of a seawall is allowed as a surviving condition provided the erosion is not on a coastal bank. This back-filling applies to areas defined primarily as Land Subject to Coastal Storm Flowage. Any work on a coastal bank requires an NOI. The back-fill material must be clean and compatible with the eroded material. Prior to any back-filling, the scope of the proposed back-filling must be approved by the Conservation Commission. **This condition shall survive this order.**

46. All gangways, docks or other items not permanently secured to the earth shall be stored during the "off season" (late fall, winter, early spring) so as to prevent them from causing any damage to other structures or resource area. **This condition shall survive this order.**

47. All gangways, docks or other items not permanently secured to the earth shall be properly secured and/or removed in the event of a major storm so as to prevent them from causing any damage to other structures or to the resource area. **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive

Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

51. Minor maintenance repairs to the superstructure only of the pier are allowed as a surviving condition of this order. Minor maintenance repairs are, typically, replacement of occasional deck boards, sections of hand rails, etc. Complete new decking, complete new hand rails or other such large repairs require an NOI. Minor maintenance repairs do not apply to the main support structure (stringers, bents, etc.) and do require an NOI. **This condition shall survive this order.**

52. If the pilings supporting a pier have not been painted or treated with a chemical substance, the pilings may be hand scraped to remove barnacles and other marine growth. The scraped material may remain on the beach/tidal flat. However, if the state declares a state of contamination (such as Red Tide) in an area wherein the pilings have been resident, tarps or a similar containment method must be located in the work area so as to cover the entire work area where scraping is performed. Tarps are to be cleaned of scraped material at the end of each day when scraping is performed and the scrapings disposed of in a proper manner for such contaminated materials.

If the pilings supporting a pier have been painted or treated with a chemical substance, the pilings may be hand scraped to remove barnacles and other marine growth. Tarps or a similar containment method must be located in the work area so as to cover the entire work area where scraping is performed. Tarps are to be cleaned of scraped material at the end of each day when scraping is performed and the scrapings disposed of in a proper manner for materials which include paint or treatment.

For all types of pilings (painted or unpainted/treated or untreated), a protocol must be submitted to the Conservation Commission for approval in advance of the scraping. The protocol must contain: whether the pilings are painted or unpainted/treated or untreated; whether the pilings have been contaminated; if painted or treated, the exact type of paint being scraped/if treated, the exact type of treatment; the dates and times of intended scraping (start and finish); the exact location of the intended scraping; a description of the containment method; a description of the scraping method; the final location for disposal of the paint scrapings or, if applicable, contaminated scrapings. If the pilings are to be repainted/re-treated, the exact type of paint/treatment must be identified and must be approved per the latest state and federal guidelines for such applications. The person ordering the scraping/painting/treatment must sign and date the protocol and submit it to the Marblehead Conservation Commission before any work is started. **This condition shall survive this order.**

54. The control drawing/s for this project were prepared by a licensed Professional. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Progress reports shall be submitted by said professional at regular intervals while work is progressing on the project. The reporting interval shall be determined by the Commission based on the scope and anticipated duration of the project. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines"**.

102. A tarp will be laid down at the base of the seawall during all repair work to capture all construction debris. The tarp will be on the seaward side of the seawall. The tarp will be rolled up and dumped into a disposal trailer as required throughout the work day and will be removed at the end of each work day.

XX. Repointing of pier footings work limited to first two piers (above low mean water).

XX. A plan shall be submitted for SKS-1, 2 and 3 to be stamped by a professional engineer.

XX. NEED Recent conditions for cement work below mean water for quick drying cement, etc.

NOI 40-1329, 21 Harbor Ave – Steven Peabody

Appeared: Scott Patrowicz, Patrowicz Land Development Engineering

Proposed: Garage addition, sitework.

Control Drawing: Site Improvements 21 Harbor Ave date 5/10/18 by Pate Landscape Architecture.

Applicant presented plans as provided in application. Calculations for impervious area to be resubmitted.

All members voted to continue the hearing to the June meeting.

NOI 40-13xx, 1 Crown Way – Peter Donovan

Appeared: Owner and Peter Ogren, Hayes Engineering

Proposed: Storm damage maintenance.

Control Drawing: Plan to Accompany NOI date 4/24/18 by Hayes Engineering.

Applicant presented plans as provided in application.

All members voted to close the hearing. All members voted to issue an OOC with the following special conditions upon receipt of docket #:

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the

property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**