

Marblehead Conservation Commission
Minutes February 11, 2021

Meeting was held remotely in accordance with Governor Baker's March 12, 2020 Order Superseding Certain Provisions of the Open Meeting Law, G.L. c.30A, section 18 and the Governor's March 15, 2020 Order imposing strict limitation on the number of people that may gather in one place.

Meeting was called to order at 7:00 PM

Present were: Commission Members Brian LeClair, Michael Smith, William Colehower, and David VanHoven. Also present was Conservation Administrator and Town Engineer, Charles Quigley.

The hearings were conducted under the Massachusetts Wetlands Protection Act and the Marblehead Wetlands Protection Bylaw.

Note: The commission currently has seven members. Per the MACC Handbook, section 4.1.2, most lawyers agree that a quorum is "...a majority of commissioners currently serving". The quorum for this meeting is therefore four members.

Approval of Minutes:

Motion to amend the January 14, 2021 minutes to include approval of Kimball Ave project was made and minutes were approved.

ORDER OF CONDITIONS EXTENSION REQUEST:

40-1232 Goldthwait Reservation – Jeffrey Doherty, President – restoration. The Commission voted unanimously to approve.

40-1299 257 Ocean Ave – site work and seawall repairs. The Commission voted unanimously to approve.

MINOR MODIFICATION REQUEST:

40-1467 10 Harvard St – James L Tedford et ux – relocate test borings per Control Drawing: Request for Minor Modification #10 Harvard St dated January 25, 2021 by Patrowicz Engineers. The Commission voted unanimously to approve.

40-1436 115 Front St – George Abatjoglou – The Commission voted to continue to March and for the applicant to provide a landscaping plan.

CERTIFICATE OF COMPLIANCE REQUEST

- **40-1465 101 Bubier Rd** – invasive tree removal. The Commission voted unanimously to approve.
- **40-1334 24 Lee St** – seawall repairs. The Commission voted unanimously to approve.

MINOR ACTIVITY REQUEST

- **24 Harbor Ave** – Ken Martin – tree removal. The Commission voted unanimously to approve with the condition that a plan be provided to show where and what plantings are proposed.
- **2 Manataug Tr** – Jeff Freedman et ux – tree removal. The Commission voted to continue to the March meeting and for the owner to tag the trees proposed to be removed prior to the meeting.

HEARINGS:

NOI 40-1469 8-10 Foster Street – Katherine L Bracken Tr

Appeared: Scott Patrowicz, Patrowicz Land Development Engineering

Proposed: Addition, renovation, pool, site work.

Control Drawing: Site Plan for #8-10 Foster Street dated January 26, 2021 by Patrowicz Engineers

All members voted to close the hearing. All four (4) members voted to issue an OOC with the following special conditions:

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

34. To the maximum extent possible, all driveways, terraces, patios or similar ground-level surfaces shall be constructed as permeable surfaces to allow water to infiltrate through their surfaces into the ground on site.

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

45. When a pool/spa/hot tub is to be drained, no chlorine or other chemicals are to be added to the pool water for a period of at least four (4) days prior to draining to allow for the chlorine and other chemicals to dissipate; and there shall be an appropriate sign placed permanently at or immediately adjacent to the pool/spa/hot tub drainage valve or mechanism indicating this requirement. The method of pool drainage shall be such as to prevent any soil erosion by the draining water and to allow the draining water to seep into the ground prior to entering any resource waters. No direct discharge to resource waters is allowed. **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

105. Tarps shall be spread and secured over the work area on top of the existing resource area for debris containment and collection during low to medium tides. The tarps and debris will be removed between tides and at the end of workday. At no time are the tarps to be inundated due to

rain, tidal or wave action. The tarps are to be removed no less than ½ hour prior to expected inundation. At that time all work is to cease in the area near the resource area.

107. Before any landscape work begins, the applicant shall submit a landscape plan to the Commission for approval. No landscape work may commence until the Commission has approved the landscape plan.

XXX. Landscaping plan shall be submitted with the additional rain garden in the southwest corner between the ramp and safety fence as discussed.

NOI 40-1468 32 Foster Street – Great Vacation Realty Tr.

Appeared: Peter Ogren Haye's Engineering

Proposed: Pier and seawall repairs.

Control Drawing: Topographic Plan for 32 Foster Street dated January 4, 2021 by Haye's Engineering.

Applicant presented plans as provided in application.

All members voted to close the hearing. All four (4) members voted to issue an OOC with the following special conditions:

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

37. The construction of the pier/dock and any structure over the water permanently secured to the earth shall withstand a 100-year storm without damage to the integrity of the structure. All piers/docks shall conform to the requirements of Chapter 91.

39. All piers, docks and floats must follow the guidelines established in the document, "Small Docks and Piers – A Guide to Permitting Small Pile-Supported Docks and Piers" dated November 2003. Float stops are permitted provided they meet the aforementioned guidelines.

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to

Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

46. All gangways, docks or other items not permanently secured to the earth shall be stored during the "off season" (late fall, winter, early spring) so as to prevent them from causing any damage to other structures or resource area. **This condition shall survive this order.**

47. All gangways, docks or other items not permanently secured to the earth shall be properly secured and/or removed in the event of a major storm so as to prevent them from causing any damage to other structures or to the resource area. **This condition shall survive this order.**

50. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

51. Minor maintenance repairs to the superstructure only of the pier are allowed as a surviving condition of this order. Minor maintenance repairs are, typically, replacement of occasional deck boards, sections of hand rails, etc. Complete new decking, complete new hand rails or other such large repairs require an NOI. Minor maintenance repairs do not apply to the main support structure (stringers, bents, etc.) and do require an NOI. **This condition shall survive this order.**

54. The control drawing/s for this project were prepared by a licensed Professional. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Progress reports shall be submitted by said professional at regular intervals while work is progressing on the project. The reporting interval shall be determined by the Conservation Administrator based on the scope and anticipated duration of the project. Upon completion of the work authorized by this OOC, said licensed

professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

55. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

105. Tarps shall be spread and secured over the work area on top of the existing resource area for debris containment and collection during low to medium tides. The tarps and debris will be removed between tides and at the end of workday. At no time are the tarps to be inundated due to rain, tidal or wave action. The tarps are to be removed no less than ½ hour prior to expected inundation. At that time all work is to cease in the area near the resource area.

109. Petitioner shall not place stones or other materials on the property of others without the prior written permission of the relevant property owner.

111. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. The applicant may act to control any developing invasive plant species by either mechanical or chemical controls following, in the case of herbicide treatment, that applicable application procedures and controls. Only DEP approved chemicals may be used. Only a licensed firm may apply the chemicals.

XXX. The work shall be performed to the procedures described in the NOI application.

NOI 40-14xx 24 Lee Street – Leslie Management Harborside Condo

Appeared: David Smith, GZA

Proposed: Deck and stair replacement

The hearing was continued without opening.

DISCUSSIONS:

- **Black Joe's Pond signage** – held until March for Town coordination.

- **Bike Marblehead** – Pat Milner – discuss potential bicycle pump track at Lead Mills – see presentation dated 2/2/2021. Don Morgan of the Marblehead Conservancy spoke to oppose a potential bike project at Lead Mills and gave a presentation on the Conservancy and its work.

OTHER ITEMS:

- The Commission voted unanimously to approve payment of the Massachusetts Association of Conservation Commissioners dues (\$830).

ENFORCEMENT ORDERS:

- **Lead Mills Bike Jumps** – The Commission voted unanimously to approve the enforcement and removal of the bike jumps and materials by the Park & Recreation Department.