

**Marblehead Conservation Commission
Minutes April 11, 2013**

Meeting was held in the lower conference room at the Mary A. Alley Building, 7 Widger Road

New special conditions were distributed. The floor was opened for comments and questions – there were none. A motion was made and seconded “to approve the new conditions.” All members voted in the affirmative.

Approval of the Minutes: Leclair proposed amending the draft March 2013 minutes. He wanted to add special conditions 36-38 from the draft OOC for project 40-1111. A motion was made and seconded “to approve the minutes of 14 March 2013 as amended.” All members voted in the affirmative.

Meeting was called to order at 7:15 PM

Present were: Commission Members Fred Sullivan, Don Tritschler, Brian Leclair, Ken Fisher, David Vanhoven and David Depew. Also present was Willy Lanphear, Conservation Administrator.

The hearings were conducted under the Massachusetts Wetlands Protection Act and the Marblehead Wetlands Protection Bylaw.

Note: The commission currently has seven members. Per the MACC Handbook, section 4.1.2, most lawyers agree that a quorum is “...a majority of commissioners currently serving”. The quorum for this meeting is therefore four members.

NOI 40-1113 12 CROWNINSHIELD ROAD REDMOND

Project: Proposed repairs to existing seawall

Applicant: Katherine & Paul Redmond

Resource Area: Coastal Bank and Land Subject to Coastal Storm Flowage

Interests of the WPA and Bylaw: Flood Control, Prevention of Stormwater Damage and Prevention of Pollution

Control Drawing: Sketches: Seawall Site Plan, Seawall Elevation Plan – both dated 3/13

Reference: Exhibit A, no date

Appeared: D. Peach

Leclair suggested the applicant provide a detailed plan for mortar and silt containment at the next meeting. He also stated that the project would be subject to the following Special Conditions:

20. In accordance with General Condition No. 9 contained in this Order of Conditions, the applicant shall record this original Order of Conditions and any subsequent amendments thereto at the Registry of Deeds in Salem and shall submit the recording information to the Conservation Commission on the form for said information found at the end of the Order of Conditions prior to the commencement of any work authorized by this Order of Conditions or any amendments thereto. Failure to submit said recording information prior to the commencement of work may result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines"**.

21. Prior to any work authorized by this Order, a sign (1'x 2') shall be displayed in a conspicuous place at the site with the words "**DEP File 40-1113**"

22. **Prior to any demolition, construction or earth moving activities on the site, the applicant shall make an appointment for a site inspection by the Conservation Administrator to review the proposed work and the conditions contained in this Order.**

23. A copy of the Order of Conditions as well as the final approved plan/s shall be available for inspection on site while activities regulated by the Order are underway.

24. This Order of Conditions is issued under the Wetlands Protection Act and its Regulations (MGL Chapter 131, Section 40 and 310 CMR 10.00 et. seq.), and under the Town of Marblehead Wetlands Protection Bylaw (Marblehead Bylaws Chapter 194) and its Regulations (Wetlands Protection Bylaw Regulations for Administering Marblehead Bylaws Chapter 194, Sections 194-1 through 194-14). As such this Order constitutes a wetlands permit both under the Act and under the Bylaw.

25. The project shall be performed in accordance with the final approved plans and other documents referenced in Attachment A to this Order of Conditions, except as the project may be altered or amended by these Special Conditions. Any deviation from this Order of Conditions and the approved construction plan/s and documents requires authorization from the Conservation Commission prior to implementation. Any deviation from the approved construction plans and documents commenced prior to authorization is subject to a fine of up to \$300 per day, issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines"**.

26. The project shall be performed in accordance with the representations made by the applicant and his/her representative(s) and in accordance with the requirements of the Marblehead Conservation Commission, all as reflected in the public hearing record as documented in the minutes of the Marblehead Conservation Commission referenced in Attachment A to this Order of Conditions, except as the project may be specifically altered or amended by these Special Conditions.

27. These Special Conditions relate equally to both the Wetlands Protection Act and the Marblehead Wetlands Protection Bylaw unless herein indicated otherwise.

Pre-construction:

28. Any land disturbance of an area less than 40,000 square feet requires that Section II.C of the regulations pertaining to the Stormwater Management and Erosion Control Bylaw, Chapter 195 of the Marblehead Code must be followed and implemented.
29. All special conditions are to be included in the construction contracts between the applicant and his/her contractor.
30. A drawing of the erosion control techniques to be used on site shall be included in the construction contracts between the applicant and his/her contractor.
31. Prior to commencement of construction activities, the Applicant shall obtain all federal, state and local permits (in addition to this OOC) that may be required for the proposed project.

During construction:

32. This project shall not cause an increase in run-off onto adjacent properties or streets, either during construction or after completion. Appropriate measures shall be taken to prevent the movement of silt or debris onto adjacent properties, streets and Resource Areas.
33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).
35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.
36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.
40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**
41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the**

Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls. All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. The back-filling of small areas of erosion landward of a seawall is allowed as a surviving condition provided the erosion is not on a coastal bank. This back-filling applies to areas defined primarily as Land Subject to Coastal Storm Flowage. Any work on a coastal bank requires an NOI. The back-fill material must be clean and compatible with the eroded material. Prior to any back-filling, the scope of the proposed back-filling must be approved by the Conservation Commission. **This condition shall survive this order.**

49. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

54. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

102. A tarp will be laid down at the base of the seawall during all repair work to capture all construction debris. The tarp will be on the seaward side of the seawall. The tarp will be rolled up and dumped into a disposal trailer as required throughout the work day and will be removed at the end of each work day.

The site is within the resource area. And it is still under review by the DEP. The Commission has a standing policy to put such matters to a Commission vote to determine whether to continue to the next Commission meeting. All members voted to continue this hearing to 9 May 2013.

NOTE: The following NOI is in error. It involves a resource area, not a buffer zone (see “B” on Form 3)

NOI 40-1114 CROWNINSHIELD ROAD (from Beacon Street to Davenport Road)

Project: Proposed new riprap at the base of the existing seawall and repairs to existing seawall

Applicant: Peach’s Point Roadway Association

Resource Area: Coastal Bank and Land Subject to Coastal Storm Flowage

Interests of the WPA and Bylaw: Flood Control, Prevention of Stormwater Damage and Prevention of Pollution

Control Drawing: Sketch “Plan to Accompany Petition of Peach’s Point Roadway Assoc.” dated 02/27/2013

Reference: Emergency Certificated issued 2/12/2013

Appeared: D. Peach

Leclair stated that if the riprap was to be placed on the beach, ownership of the beach must be determined. Once the owner is determined the applicant must get written permission from the owner.

The site is within the resource area. And it is still under review by the DEP. The Commission has a standing policy to put such matters to a Commission vote to determine whether to continue to the next Commission meeting. All members voted to continue this hearing to 9 May 2013.

Leclair suggested that the applicant provide a detailed plan at the next meeting (e.g., number and size of stones). He also requested that the plan (either drawings or text) include the methods/means for erosion, silt and material control. In addition, this plan should be sent to the DEP for review. He also stated that project would be subject to following Special Conditions:

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. The back-filling of small areas of erosion landward of a seawall is allowed as a surviving condition provided the erosion is not on a coastal bank. This back-filling applies to areas defined primarily as Land Subject to Coastal Storm Flowage. Any work on a coastal bank requires an NOI. The back-fill material must be clean and compatible with the eroded material. Prior to any back-filling, the scope of the

proposed back-filling must be approved by the Conservation Commission. **This condition shall survive this order.**

49. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

54. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

102. A tarp will be laid down at the base of the seawall during all repair work to capture all construction debris. The tarp will be on the seaward side of the seawall. The tarp will be rolled up and dumped into a disposal trailer as required throughout the work day and will be removed at the end of each work day.

Questions from the audience were taken.

Bradford Freeman (Willow Rd) stated that since the condition of the seawall was also a matter of public safety, there should be an emergency process.

Dave Peach then raised issues from the 13 March meeting – a determination of what activities are allowed under the existing maintenance Surviving Condition, what activities given defined conditions can be done pursuant to an Emergency Certificate. Dave Peach stated that it would be beneficial if the Commission would clearly decide and communicate under what conditions what activities (subject to defined conditions) would be permitted as “maintenance;” or which ones would require an Emergency Certificate or an NOI.

Lanphear stated that a 1991 Order of Conditions required that the Association retain a professional engineer to opine on the structural integrity of the seawall, and that this has not been done yet.

Members of the Commission stated that maybe the seawall needs to be rebuilt rather than continuously repaired. Peach said the cost of construction would be “prohibitive.”

Craig Campbell asked if given the large number of seawalls in Marblehead, should not the Commission hold special meetings devoted to creating rules for the maintenance, repair and rebuilding of seawalls.

The site is within the resource area. And it is still under review by the DEP. The Commission has a standing policy to put such matters to a Commission vote to determine whether to continue to the next Commission meeting. All members voted to continue this hearing to 9 May 2013.

NOI 40-1115 46 FOSTER STREET EASTERN YACHT CLUB

Project: Proposed painting of the existing steel piles on the Main pier

Applicant: Eastern Yacht Club

Resource Area: Coastal Bank, Coastal Beach and Land Subject to Coastal Storm Flowage

Interests of the WPA and Bylaw: Flood Control, Prevention of Stormwater Damage and Prevention of Pollution

Control Drawing: Eastern Yacht Club Pier, dated March 8, 2013, prepared by Hayes Engineering

Reference: Letter from McCann & McCann, dated March 13, 2013

Appeared: R. McCann

Bob complained that this has been already been a four month process. He has filed a Request for Determination and then filed for a NOI. After all that, the DEP told him those actions were not necessary.

The applicant will use fast drying paint applied during low tide (provided a document describing the paint that will be used). They will use tarps to control material, and vacuum the sand for cleanup.

Leclair stated that the project would be subject to the following Special Conditions:

20. In accordance with General Condition No. 9 contained in this Order of Conditions, the applicant shall record this original Order of Conditions and any subsequent amendments thereto at the Registry of Deeds in Salem and shall submit the recording information to the Conservation Commission on the form for said information found at the end of the Order of Conditions prior to the commencement of any work authorized by this Order of Conditions or any amendments thereto. Failure to submit said recording information prior to the commencement of work may result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines"**.

21. Prior to any work authorized by this Order, a sign (1'x 2') shall be displayed in a conspicuous place at

the site with the words “DEP File 40-1115”

22. Prior to any demolition, construction or earth moving activities on the site, the applicant shall make an appointment for a site inspection by the Conservation Administrator to review the proposed work and the conditions contained in this Order.

23. A copy of the Order of Conditions as well as the final approved plan/s shall be available for inspection on site while activities regulated by the Order are underway.

24. This Order of Conditions is issued under the Wetlands Protection Act and its Regulations (MGL Chapter 131, Section 40 and 310 CMR 10.00 et. seq.), and under the Town of Marblehead Wetlands Protection Bylaw (Marblehead Bylaws Chapter 194) and its Regulations (Wetlands Protection Bylaw Regulations for Administering Marblehead Bylaws Chapter 194, Sections 194-1 through 194-14). As such this Order constitutes a wetlands permit both under the Act and under the Bylaw.

25. The project shall be performed in accordance with the final approved plans and other documents referenced in Attachment A to this Order of Conditions, except as the project may be altered or amended by these Special Conditions. Any deviation from this Order of Conditions and the approved construction plan/s and documents requires authorization from the Conservation Commission prior to implementation. Any deviation from the approved construction plans and documents commenced prior to authorization is subject to a fine of up to \$300 per day, issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment “C” for “Schedule of Fines”.**

26. The project shall be performed in accordance with the representations made by the applicant and his/her representative(s) and in accordance with the requirements of the Marblehead Conservation Commission, all as reflected in the public hearing record as documented in the minutes of the Marblehead Conservation Commission referenced in Attachment A to this Order of Conditions, except as the project may be specifically altered or amended by these Special Conditions.

27. These Special Conditions relate equally to both the Wetlands Protection Act and the Marblehead Wetlands Protection Bylaw unless herein indicated otherwise.

Pre-construction:

28. Any land disturbance of an area less than 40,000 square feet requires that Section II.C of the regulations pertaining to the Stormwater Management and Erosion Control Bylaw, Chapter 195 of the Marblehead Code must be followed and implemented.

29. All special conditions are to be included in the construction contracts between the applicant and his/her contractor.

30. A drawing of the erosion control techniques to be used on site shall be included in the construction contracts between the applicant and his/her contractor.

31. Prior to commencement of construction activities, the Applicant shall obtain all federal, state and

local permits (in addition to this OOC) that may be required for the proposed project.

During construction:

32. This project shall not cause an increase in run-off onto adjacent properties or streets, either during construction or after completion. Appropriate measures shall be taken to prevent the movement of silt or debris onto adjacent properties, streets and Resource Areas.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

45. All gangways, docks or other items not permanently secured to the earth shall be stored during the "off season" (late fall, winter, early spring) so as to prevent them from causing any damage to other structures or resource area. **This condition shall survive this order.**

46. All gangways, docks or other items not permanently secured to the earth shall be properly secured and/or removed in the event of a major storm so as to prevent them from causing any damage to other structures or to the resource area. **This condition shall survive this order.**

47. All floats/docks will be so constructed so as not to bottom out (rest) on the ocean floor at low tides. **This condition shall survive this order.**

49. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

50. Minor maintenance repairs to the superstructure only of the pier are allowed as a surviving condition of this order. Minor maintenance repairs are, typically, replacement of occasional deck boards, sections of hand rails, etc. Complete new decking, complete new hand rails or other such large repairs require an NOI. Minor maintenance repairs do not apply to the main support structure (stringers, bents, etc.) and do require an NOI. **This condition shall survive this order.**

51. If the pilings supporting a pier have not been painted or treated with a chemical substance, the pilings may be hand scraped to remove barnacles and other marine growth. The scraped material may remain on the beach/tidal flat. However, if the state declares a state of contamination (such as Red Tide) in an area wherein the pilings have been resident, tarps or a similar containment method must be located in the work area so as to cover the entire work area where scraping is performed. Tarps are to be cleaned of scraped material at the end of each day when scraping is performed and the scrapings disposed of in a proper manner for such contaminated materials.

If the pilings supporting a pier have been painted or treated with a chemical substance, the pilings may be hand scraped to remove barnacles and other marine growth. Tarps or a similar containment method must be located in the work area so as to cover the entire work area where scraping is performed. Tarps are to be cleaned of scraped material at the end of each day when scraping is performed and the scrapings disposed of in a proper manner for materials which include paint or treatment.

For all types of pilings (painted or unpainted/treated or untreated), a protocol must be submitted to the Conservation Commission for approval in advance of the scraping. The protocol must contain: whether the pilings are painted or unpainted/treated or untreated; whether the pilings have been contaminated; if painted or treated, the exact type of paint being scraped/if treated, the exact type of treatment; the dates and times of intended scraping (start and finish); the exact location of the intended scraping; a description of the containment method; a description of the scraping method; the final location for disposal of the paint scrapings or, if applicable, contaminated scrapings. If the pilings are to be repainted/re-treated, the exact type of paint/treatment must be identified and must be approved per the latest state and federal guidelines for such applications. The person ordering the scraping/painting/treatment must sign and date the protocol and submit it to the Marblehead Conservation Commission before any work is started. **This condition shall survive this order.**54. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

The Commission unanimously voted to issue an Order of Conditions with the aforementioned Special Conditions.

RDA 172 FRONT STREET SEDKY

Project: Proposed removal of existing deck and portion of landscape wall, construct a new mud room addition and extension of the driveway

Applicant: Heidi Sedky

Resource Area: Coastal Bank, Coastal Beach and Land Subject to Coastal Storm Flowage

Interests of the WPA and Bylaw: Flood Control, Storm Damage Prevention and Prevention of Pollution

Control Drawing: Site Plan for RDA, 172 Front Street, dated March 18, 2013

Appeared: Walter Jacobs and Jessica Muldoon of Walter Jacobs Architects

The Commission voted to close this hearing. All members voted to issue a negative determination with no conditions.

NOI 40-1116 14 Shuman Road KOH

Project: Proposed repairs to existing seawall and replace a concrete cap

Applicant: David Koh, Trustee, Dune Realty Trust

Interests of the WPA and Bylaw: Flood Control, Storm Damage Prevention and Prevention of Pollution

Control Drawing: Site Plan for NOI, 14 Shuman Road, dated March 21, 2013

Reference: Typical Cross Section Sketch, by North Shore Marine, dated 03/25/2013 and Emergency Certificate issued 3/18/2013

Appeared: S. Patrowicz of Patrowicz Land Development Engineering and David Koh, Trustee

The DEP had no comments.

Discussion:

Fisher requested more detail of methods/means. In particular, he wanted a discussion of how water will be kept out of the seawall. He suggested an epoxy coating for the rebar dowling and an elastic control joint for the wall.

Leclair stated that the project would be subject to the following Special Conditions:

20. In accordance with General Condition No. 9 contained in this Order of Conditions, the applicant shall record this original Order of Conditions and any subsequent amendments thereto at the Registry of

Deeds in Salem and shall submit the recording information to the Conservation Commission on the form for said information found at the end of the Order of Conditions prior to the commencement of any work authorized by this Order of Conditions or any amendments thereto. Failure to submit said recording information prior to the commencement of work may result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines"**.

21. Prior to any work authorized by this Order, a sign (1'x 2') shall be displayed in a conspicuous place at the site with the words "**DEP File 40-1116**"

22. **Prior to any demolition, construction or earth moving activities on the site, the applicant shall make an appointment for a site inspection by the Conservation Administrator to review the proposed work and the conditions contained in this Order.**

23. A copy of the Order of Conditions as well as the final approved plan/s shall be available for inspection on site while activities regulated by the Order are underway.

24. This Order of Conditions is issued under the Wetlands Protection Act and its Regulations (MGL Chapter 131, Section 40 and 310 CMR 10.00 et. seq.), and under the Town of Marblehead Wetlands Protection Bylaw (Marblehead Bylaws Chapter 194) and its Regulations (Wetlands Protection Bylaw Regulations for Administering Marblehead Bylaws Chapter 194, Sections 194-1 through 194-14). As such this Order constitutes a wetlands permit both under the Act and under the Bylaw.

25. The project shall be performed in accordance with the final approved plans and other documents referenced in Attachment A to this Order of Conditions, except as the project may be altered or amended by these Special Conditions. Any deviation from this Order of Conditions and the approved construction plan/s and documents requires authorization from the Conservation Commission prior to implementation. Any deviation from the approved construction plans and documents commenced prior to authorization is subject to a fine of up to \$300 per day, issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines"**.

26. The project shall be performed in accordance with the representations made by the applicant and his/her representative(s) and in accordance with the requirements of the Marblehead Conservation Commission, all as reflected in the public hearing record as documented in the minutes of the Marblehead Conservation Commission referenced in Attachment A to this Order of Conditions, except as the project may be specifically altered or amended by these Special Conditions.

27. These Special Conditions relate equally to both the Wetlands Protection Act and the Marblehead Wetlands Protection Bylaw unless herein indicated otherwise.

Pre-construction:

28. Any land disturbance of an area less than 40,000 square feet requires that Section II.C of the regulations pertaining to the Stormwater Management and Erosion Control Bylaw, Chapter 195 of the Marblehead Code must be followed and implemented.

29. All special conditions are to be included in the construction contracts between the applicant and his/her contractor.

30. A drawing of the erosion control techniques to be used on site shall be included in the construction contracts between the applicant and his/her contractor.

31. Prior to commencement of construction activities, the Applicant shall obtain all federal, state and local permits (in addition to this OOC) that may be required for the proposed project.

During construction:

32. This project shall not cause an increase in run-off onto adjacent properties or streets, either during construction or after completion. Appropriate measures shall be taken to prevent the movement of silt or debris onto adjacent properties, streets and Resource Areas.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. The back-filling of small areas of erosion landward of a seawall is allowed as a surviving condition provided the erosion is not on a coastal bank. This back-filling applies to areas defined primarily as Land Subject to Coastal Storm Flowage. Any work on a coastal bank requires an NOI. The back-fill material must be clean and compatible with the eroded material. Prior to any back-filling, the scope of the proposed back-filling must be approved by the Conservation Commission. **This condition shall survive this order.**

49. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

53. The control drawing/s for this project were prepared by a licensed Professional Engineer. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

54. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

The Commission unanimously voted to issue an Order of Conditions with the aforementioned Special Conditions.

NOI 40-1117 40 Bartlett Street HYNES

Project: Proposed expansion of a patio area and construct a new fire pit

Applicant: Suzanne Hynes

Buffer Zone & Resource Area Impacts/Coastal Resource Areas: Coastal Bank and Land Subject to Coastal Storm Flowage

Interests of the WPA and Bylaw: Flood Control, Storm Damage Prevention and Prevention of Pollution

Control Drawing: Overall Site Plan, dated March 24, 2013, prepared by Patrowicz Land Development Engineering

Reference: Drawing, "Wall Section", no date, prepared by Engineering Allicance

Appeared: S. Patrowicz of Patrowicz Land Development Engineering

Leclair stated that the project would be subject to the following Special Conditions:

20. In accordance with General Condition No. 9 contained in this Order of Conditions, the applicant shall record this original Order of Conditions and any subsequent amendments thereto at the Registry of Deeds in Salem and shall submit the recording information to the Conservation Commission on the form for said information found at the end of the Order of Conditions prior to the commencement of any work authorized by this Order of Conditions or any amendments thereto. Failure to submit said recording information prior to the commencement of work may result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

21. Prior to any work authorized by this Order, a sign (1'x 2') shall be displayed in a conspicuous place at the site with the words "**DEP File 40-1117**"

22. **Prior to any demolition, construction or earth moving activities on the site, the applicant shall make an appointment for a site inspection by the Conservation Administrator to review the proposed work and the conditions contained in this Order.**

23. A copy of the Order of Conditions as well as the final approved plan/s shall be available for inspection on site while activities regulated by the Order are underway.

24. This Order of Conditions is issued under the Wetlands Protection Act and its Regulations (MGL Chapter 131, Section 40 and 310 CMR 10.00 et. seq.), and under the Town of Marblehead Wetlands Protection Bylaw (Marblehead Bylaws Chapter 194) and its Regulations (Wetlands Protection Bylaw Regulations for Administering Marblehead Bylaws Chapter 194, Sections 194-1 through 194-14). As such this Order constitutes a wetlands permit both under the Act and under the Bylaw.

25. The project shall be performed in accordance with the final approved plans and other documents referenced in Attachment A to this Order of Conditions, except as the project may be altered or amended by these Special Conditions. Any deviation from this Order of Conditions and the approved construction plan/s and documents requires authorization from the Conservation Commission prior to implementation. Any deviation from the approved construction plans and documents commenced prior to authorization is subject to a fine of up to \$300 per day, issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines"**.

26. The project shall be performed in accordance with the representations made by the applicant and his/her representative(s) and in accordance with the requirements of the Marblehead Conservation Commission, all as reflected in the public hearing record as documented in the minutes of the Marblehead Conservation Commission referenced in Attachment A to this Order of Conditions, except as the project may be specifically altered or amended by these Special Conditions.

27. These Special Conditions relate equally to both the Wetlands Protection Act and the Marblehead Wetlands Protection Bylaw unless herein indicated otherwise.

Pre-construction:

28. Any land disturbance of an area less than 40,000 square feet requires that Section II.C of the regulations pertaining to the Stormwater Management and Erosion Control Bylaw, Chapter 195 of the Marblehead Code must be followed and implemented.

29. All special conditions are to be included in the construction contracts between the applicant and his/her contractor.

30. A drawing of the erosion control techniques to be used on site shall be included in the construction contracts between the applicant and his/her contractor.

31. Prior to commencement of construction activities, the Applicant shall obtain all federal, state and local permits (in addition to this OOC) that may be required for the proposed project.

During construction:

32. This project shall not cause an increase in run-off onto adjacent properties or streets, either during construction or after completion. Appropriate measures shall be taken to prevent the movement of silt or debris onto adjacent properties, streets and Resource Areas.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered

after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. The back-filling of small areas of erosion landward of a seawall is allowed as a surviving condition provided the erosion is not on a coastal bank. This back-filling applies to areas defined primarily as Land Subject to Coastal Storm Flowage. Any work on a coastal bank requires an NOI. The back-fill material must be clean and compatible with the eroded material. Prior to any back-filling, the scope of the proposed back-filling must be approved by the Conservation Commission. **This condition shall survive this order.**

49. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

53. The control drawing/s for this project were prepared by a licensed Professional Engineer. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

54. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. See Attachment "C" for "Schedule of Fines".

He also observed that the area would be in danger from wave action, and he would like more detail on the ramifications.

The site is within the resource area. And the DEP is still reviewing the NOI application. Therefore the Commission has a standing policy to put such matters to a Commission vote to determine whether to continue to the next Commission meeting. All members voted to continue this hearing to 9 May 2013.

NOI 40-1118 17 Crowninshield Road MCCARTHY

Project: Proposed repairs to two existing seawalls

Applicant: John B. McCarthy

Resource Area: Coastal Bank, Coastal Beach and Land Subject to Coastal Storm Flowage

Interests of the WPA and Bylaw: Flood Control, Storm Damage Prevention and Prevention of Pollution

Control Drawing: Overall Site Plan, dated March 24, 2013, prepared by Patrowicz Land Development Engineering

Appeared: S. Patrowicz of Patrowicz Land Development Engineering

The project entails repairing holes/replacing stones in the wall surrounding the boat slip and repairing its base, repairing/replacing the facing of the seawall on the seaward side of the house, replacing the caps on this seawall, and finally re-pointing.

Appeared: S. Patrowicz of Patrowicz Land Development Engineering

The project entails repairing 1-2' holes in the boat slip, repairing the facing, capping the wall, and finally repointing. The applicant also wants to dig at the base of the wall and place some stones for protection.

??The mason will be Pangio??

Fisher asked for more detail on methods and means for project. Patrowicz agreed to provide the detail at the next meeting.

Leclair stated that the project would be subject to the following Special Conditions:

20. In accordance with General Condition No. 9 contained in this Order of Conditions, the applicant shall record this original Order of Conditions and any subsequent amendments thereto at the Registry of Deeds in Salem and shall submit the recording information to the Conservation Commission on the form for said information found at the end of the Order of Conditions prior to the commencement of any work authorized by this Order of Conditions or any amendments thereto. Failure to submit said recording information prior to the commencement of work may result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines"**.

21. Prior to any work authorized by this Order, a sign (1'x 2') shall be displayed in a conspicuous place at the site with the words "**DEP File 40-1118**"

22. **Prior to any demolition, construction or earth moving activities on the site, the applicant shall make an appointment for a site inspection by the Conservation Administrator to review the proposed work and the conditions contained in this Order.**

23. A copy of the Order of Conditions as well as the final approved plan/s shall be available for inspection on site while activities regulated by the Order are underway.

24. This Order of Conditions is issued under the Wetlands Protection Act and its Regulations (MGL Chapter 131, Section 40 and 310 CMR 10.00 et. seq.), and under the Town of Marblehead Wetlands Protection Bylaw (Marblehead Bylaws Chapter 194) and its Regulations (Wetlands Protection Bylaw Regulations for Administering Marblehead Bylaws Chapter 194, Sections 194-1 through 194-14). As such this Order constitutes a wetlands permit both under the Act and under the Bylaw.

25. The project shall be performed in accordance with the final approved plans and other documents referenced in Attachment A to this Order of Conditions, except as the project may be altered or amended by these Special Conditions. Any deviation from this Order of Conditions and the approved construction plan/s and documents requires authorization from the Conservation Commission prior to implementation. Any deviation from the approved construction plans and documents commenced prior

to authorization is subject to a fine of up to \$300 per day, issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. See Attachment "C" for "Schedule of Fines".

26. The project shall be performed in accordance with the representations made by the applicant and his/her representative(s) and in accordance with the requirements of the Marblehead Conservation Commission, all as reflected in the public hearing record as documented in the minutes of the Marblehead Conservation Commission referenced in Attachment A to this Order of Conditions, except as the project may be specifically altered or amended by these Special Conditions.

27. These Special Conditions relate equally to both the Wetlands Protection Act and the Marblehead Wetlands Protection Bylaw unless herein indicated otherwise.

Pre-construction:

28. Any land disturbance of an area less than 40,000 square feet requires that Section II.C of the regulations pertaining to the Stormwater Management and Erosion Control Bylaw, Chapter 195 of the Marblehead Code must be followed and implemented.

29. All special conditions are to be included in the construction contracts between the applicant and his/her contractor.

30. A drawing of the erosion control techniques to be used on site shall be included in the construction contracts between the applicant and his/her contractor.

31. Prior to commencement of construction activities, the Applicant shall obtain all federal, state and local permits (in addition to this OOC) that may be required for the proposed project.

During construction:

32. This project shall not cause an increase in run-off onto adjacent properties or streets, either during construction or after completion. Appropriate measures shall be taken to prevent the movement of silt or debris onto adjacent properties, streets and Resource Areas.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. The back-filling of small areas of erosion landward of a seawall is allowed as a surviving condition provided the erosion is not on a coastal bank. This back-filling applies to areas defined primarily as Land Subject to Coastal Storm Flowage. Any work on a coastal bank requires an NOI. The back-fill material must be clean and compatible with the eroded material. Prior to any back-filling, the scope of the proposed back-filling must be approved by the Conservation Commission. **This condition shall survive this order.**

44. When a pool/spa/hot tub is to be drained, no chlorine or other chemicals are to be added to the pool water for a period of at least four (4) days prior to draining to allow for the chlorine and other chemicals to dissipate; and there shall be an appropriate sign placed permanently at or immediately adjacent to the pool/spa/hot tub drainage valve or mechanism indicating this requirement. The method of pool drainage shall be such as to prevent any soil erosion by the draining water and to allow the draining water to seep into the ground prior to entering any resource waters. No direct discharge to resource waters is allowed. **This condition shall survive this order.**

49. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For

most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

53. The control drawing/s for this project were prepared by a licensed Professional Engineer. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

54. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

The site is within the resource area. And the DEP is still reviewing the NOI application. Therefore the Commission has a standing policy to put such matters to a Commission vote to determine whether to continue to the next Commission meeting. All members voted to continue this hearing to 9 May 2013.

NOI 40-1120 21 Goodwin's Court GALLAGHER

Project: Proposed construction of wooden steps, concrete landing, gangway, hoist and float

Applicant: Stephen and Lisa Gallagher

Resource Area: Coastal Bank and Land Subject to Coastal Storm Flowage

Interests of the WPA and Bylaw: Flood Control, Storm Damage Prevention and Prevention of Pollution

Control Drawing: Overall SitePlan, NOI, 21 Goodwinds Court, dated March 18, 2013, signed by Patrowicz

Reference: Sketch "Water Depths", dated 12/05/2012, prepared by S. Gallagher.
Two drawings by Ravens Marine showing proposed seasonal gangway (no date)
FIRM Map

Appeared: S. Patrowicz of Patrowicz Land Development Engineering

Patrowicz stated that the purpose of the presentation was to test the waters with the Commission to see if the project was feasible.

Supporting documents were attached to the NOI application. Applicant provided a letter from the Marblehead Harbor Master supporting the project with conditions. Also provided a DEP eel grass map for the affected area – there was no indication of eel grass in the area.

Patrowicz acknowledged the need for a DEP Chapter 91 license.

The Commission had concerns about the durability of the stairs during a storm. The Commission then had several suggestions 1) that the stairs should be made of a more durable material than wood 2) the stairs need to be securely anchored into the ledge and/or 3) the stairs could be portable and safely stored in event of a storm. Finally the Commission requested a detailed stair plan. Patrowicz stated they would consider the suggestions and present a detailed plan in the future.

Leclair stated that project would be subject to Special Conditions 20-40, 45-47, 49, 50-51, 53-54.

20. In accordance with General Condition No. 9 contained in this Order of Conditions, the applicant shall record this original Order of Conditions and any subsequent amendments thereto at the Registry of Deeds in Salem and shall submit the recording information to the Conservation Commission on the form for said information found at the end of the Order of Conditions prior to the commencement of any work authorized by this Order of Conditions or any amendments thereto. Failure to submit said recording information prior to the commencement of work may result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment “C” for “Schedule of Fines”.**

21. Prior to any work authorized by this Order, a sign (1'x 2') shall be displayed in a conspicuous place at the site with the words “**DEP File 40-1120**”

22. **Prior to any demolition, construction or earth moving activities on the site, the applicant shall make an appointment for a site inspection by the Conservation Administrator to review the proposed work and the conditions contained in this Order.**

23. A copy of the Order of Conditions as well as the final approved plan/s shall be available for inspection on site while activities regulated by the Order are underway.

24. This Order of Conditions is issued under the Wetlands Protection Act and its Regulations (MGL Chapter 131, Section 40 and 310 CMR 10.00 et. seq.), and under the Town of Marblehead Wetlands Protection Bylaw (Marblehead Bylaws Chapter 194) and its Regulations (Wetlands Protection Bylaw Regulations for Administering Marblehead Bylaws Chapter 194, Sections 194-1 through 194-14). As such this Order constitutes a wetlands permit both under the Act and under the Bylaw.

25. The project shall be performed in accordance with the final approved plans and other documents referenced in Attachment A to this Order of Conditions, except as the project may be altered or

amended by these Special Conditions. Any deviation from this Order of Conditions and the approved construction plan/s and documents requires authorization from the Conservation Commission prior to implementation. Any deviation from the approved construction plans and documents commenced prior to authorization is subject to a fine of up to \$300 per day, issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. See Attachment "C" for "Schedule of Fines".

26. The project shall be performed in accordance with the representations made by the applicant and his/her representative(s) and in accordance with the requirements of the Marblehead Conservation Commission, all as reflected in the public hearing record as documented in the minutes of the Marblehead Conservation Commission referenced in Attachment A to this Order of Conditions, except as the project may be specifically altered or amended by these Special Conditions.

27. These Special Conditions relate equally to both the Wetlands Protection Act and the Marblehead Wetlands Protection Bylaw unless herein indicated otherwise.

Pre-construction:

28. Any land disturbance of an area less than 40,000 square feet requires that Section II.C of the regulations pertaining to the Stormwater Management and Erosion Control Bylaw, Chapter 195 of the Marblehead Code must be followed and implemented.

29. All special conditions are to be included in the construction contracts between the applicant and his/her contractor.

30. A drawing of the erosion control techniques to be used on site shall be included in the construction contracts between the applicant and his/her contractor.

31. Prior to commencement of construction activities, the Applicant shall obtain all federal, state and local permits (in addition to this OOC) that may be required for the proposed project.

During construction:

32. This project shall not cause an increase in run-off onto adjacent properties or streets, either during construction or after completion. Appropriate measures shall be taken to prevent the movement of silt or debris onto adjacent properties, streets and Resource Areas.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

37. The construction of the pier/dock and any structure over the water permanently secured to the earth shall withstand a 100-year storm without damage to the integrity of the structure. All piers/docks shall conform to the requirements of Chapter 91.

38. Any pressure-treated wood proposed to be used in the construction of a structure for land-based use shall be arsenic-free. Any pressure-treated wood proposed to be used in the construction of a structure for salt water contact shall be treated with Chromated Copper Arsenate (CCA) or other preservative approved by the EPA and/or the MADEP which is less polluting and harmful to the salt water and its environment.

39. All piers, docks and floats must follow the guidelines established in the document, "Small Docks and Piers – A Guide to Permitting Small Pile-Supported Docks and Piers" dated November 2003. Float stops are permitted provided they meet the aforementioned guidelines.

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

45. All gangways, docks or other items not permanently secured to the earth shall be stored during the "off season" (late fall, winter, early spring) so as to prevent them from causing any damage to other structures or resource area. **This condition shall survive this order.**

46. All gangways, docks or other items not permanently secured to the earth shall be properly secured and/or removed in the event of a major storm so as to prevent them from causing any damage to other structures or to the resource area. **This condition shall survive this order.**

47. All floats/docks will be so constructed so as not to bottom out (rest) on the ocean floor at low tides. **This condition shall survive this order.**

49. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For the most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

50. Minor maintenance repairs to the superstructure only of the pier are allowed as a surviving condition of this order. Minor maintenance repairs are, typically, replacement of occasional deck boards, sections of hand rails, etc. Complete new decking, complete new hand rails or other such large

repairs require an NOI. Minor maintenance repairs do not apply to the main support structure (stringers, bents, etc.) and do require an NOI. **This condition shall survive this order.**

51. If the pilings supporting a pier have not been painted or treated with a chemical substance, the pilings may be hand scraped to remove barnacles and other marine growth. The scraped material may remain on the beach/tidal flat. However, if the state declares a state of contamination (such as Red Tide) in an area wherein the pilings have been resident, tarps or a similar containment method must be located in the work area so as to cover the entire work area where scraping is performed. Tarps are to be cleaned of scraped material at the end of each day when scraping is performed and the scrapings disposed of in a proper manner for such contaminated materials.

If the pilings supporting a pier have been painted or treated with a chemical substance, the pilings may be hand scraped to remove barnacles and other marine growth. Tarps or a similar containment method must be located in the work area so as to cover the entire work area where scraping is performed. Tarps are to be cleaned of scraped material at the end of each day when scraping is performed and the scrapings disposed of in a proper manner for materials which include paint or treatment.

For all types of pilings (painted or unpainted/treated or untreated), a protocol must be submitted to the Conservation Commission for approval in advance of the scraping. The protocol must contain: whether the pilings are painted or unpainted/treated or untreated; whether the pilings have been contaminated; if painted or treated, the exact type of paint being scraped/if treated, the exact type of treatment; the dates and times of intended scraping (start and finish); the exact location of the intended scraping; a description of the containment method; a description of the scraping method; the final location for disposal of the paint scrapings or, if applicable, contaminated scrapings. If the pilings are to be repainted/re-treated, the exact type of paint/treatment must be identified and must be approved per the latest state and federal guidelines for such applications. The person ordering the scraping/painting/treatment must sign and date the protocol and submit it to the Marblehead Conservation Commission before any work is started. **This condition shall survive this order.**

53. The control drawing/s for this project were prepared by a licensed Professional Engineer. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

54. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed

Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines"**.

The site is within the resource area. And the DEP is still reviewing the NOI application. Therefore the Commission has a standing policy to put such matters to a Commission vote to determine whether to continue to the next Commission meeting. All members voted to continue this hearing to 9 May 2013.

NOI 40-1119 323 Ocean Avenue ALEXANDER

Project: Proposed replacement of collapsed stone seawall with new concrete seawall

Applicant: F. Night & Marjorie A. Alexander

Resource Area: Coastal Bank and Land Subject to Coastal Storm Flowage

Interests of the WPA and Bylaw: Flood Control, Storm Damage Prevention and Prevention of Pollution

Control Drawing: Plan to Accompany NOI, Alexander, 323 Ocean Avenue, prepared by Hayes Engineering dated March 25, 2013

Appeared: Peter Ogren of Hayes Engineering

Supporting documents were attached to the NOI application. An arial picture of the site was provided as well as a project narrative.

The repaired wall will capped with a slab. The stone facing on the seaward side is optional.

DEP has no comment.

Leclair stated that project would be subject to following Special Conditions:

20. In accordance with General Condition No. 9 contained in this Order of Conditions, the applicant shall record this original Order of Conditions and any subsequent amendments thereto at the Registry of Deeds in Salem and shall submit the recording information to the Conservation Commission on the form for said information found at the end of the Order of Conditions prior to the commencement of any work authorized by this Order of Conditions or any amendments thereto. Failure to submit said recording information prior to the commencement of work may result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines"**.

21. Prior to any work authorized by this Order, a sign (1'x 2') shall be displayed in a conspicuous place at

the site with the words “DEP File 40-1119”

22. Prior to any demolition, construction or earth moving activities on the site, the applicant shall make an appointment for a site inspection by the Conservation Administrator to review the proposed work and the conditions contained in this Order.

23. A copy of the Order of Conditions as well as the final approved plan/s shall be available for inspection on site while activities regulated by the Order are underway.

24. This Order of Conditions is issued under the Wetlands Protection Act and its Regulations (MGL Chapter 131, Section 40 and 310 CMR 10.00 et. seq.), and under the Town of Marblehead Wetlands Protection Bylaw (Marblehead Bylaws Chapter 194) and its Regulations (Wetlands Protection Bylaw Regulations for Administering Marblehead Bylaws Chapter 194, Sections 194-1 through 194-14). As such this Order constitutes a wetlands permit both under the Act and under the Bylaw.

25. The project shall be performed in accordance with the final approved plans and other documents referenced in Attachment A to this Order of Conditions, except as the project may be altered or amended by these Special Conditions. Any deviation from this Order of Conditions and the approved construction plan/s and documents requires authorization from the Conservation Commission prior to implementation. Any deviation from the approved construction plans and documents commenced prior to authorization is subject to a fine of up to \$300 per day, issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment “C” for “Schedule of Fines”.**

26. The project shall be performed in accordance with the representations made by the applicant and his/her representative(s) and in accordance with the requirements of the Marblehead Conservation Commission, all as reflected in the public hearing record as documented in the minutes of the Marblehead Conservation Commission referenced in Attachment A to this Order of Conditions, except as the project may be specifically altered or amended by these Special Conditions.

27. These Special Conditions relate equally to both the Wetlands Protection Act and the Marblehead Wetlands Protection Bylaw unless herein indicated otherwise.

Pre-construction:

28. Any land disturbance of an area less than 40,000 square feet requires that Section II.C of the regulations pertaining to the Stormwater Management and Erosion Control Bylaw, Chapter 195 of the Marblehead Code must be followed and implemented.

29. All special conditions are to be included in the construction contracts between the applicant and his/her contractor.

30. A drawing of the erosion control techniques to be used on site shall be included in the construction contracts between the applicant and his/her contractor.

31. Prior to commencement of construction activities, the Applicant shall obtain all federal, state and

local permits (in addition to this OOC) that may be required for the proposed project.

During construction:

32. This project shall not cause an increase in run-off onto adjacent properties or streets, either during construction or after completion. Appropriate measures shall be taken to prevent the movement of silt or debris onto adjacent properties, streets and Resource Areas.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. The back-filling of small areas of erosion landward of a seawall is allowed as a surviving condition provided the erosion is not on a coastal bank. This back-filling applies to areas defined primarily as Land Subject to Coastal Storm Flowage. Any work on a coastal bank requires an NOI. The back-fill material must be clean and compatible with the eroded material. Prior to any back-filling, the scope of the proposed back-filling must be approved by the Conservation Commission. **This condition shall survive this order.**

49. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For the most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

53. The control drawing/s for this project were prepared by a licensed Professional Engineer. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

54. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

The Commission unanimously voted to issue an Order of Conditions with the aforementioned Special Conditions.

NOI 40-1121 2 Gas House Lane KASS

Project: Proposed reconstruction of storm-damaged cobblestone driveway and granite blocks

Applicant: Vicky Kass

Resource Area: Coastal Bank, Coastal Beach and Land Subject to Coastal Storm Flowage

Interests of the WPA and Bylaw: Flood Control, Storm Damage Prevention and Prevention of Pollution

Control Drawing: Plan to Accompany NOI, Kass, 2 Gas House Lane, prepared by Hayes Engineering dated March 26, 2013

Appeared: Peter Ogren of Hayes Engineering, Richard Bragdon, caretaker

Pictures of the site were provided as well as a project narrative.

Blocks will be placed on crushed rock and sand. The Commission recommended that filter fabric should be used to control erosion of material. Project will remove the concrete protruding from the stone wall that borders the driveway.

Meeting attendees voiced concern that the project not impede on the public way. Lanphear suggested that the property line should be surveyed.

DEP has no comment.

Leclair stated that project would be subject to the following Special Conditions:

20. In accordance with General Condition No. 9 contained in this Order of Conditions, the applicant shall record this original Order of Conditions and any subsequent amendments thereto at the Registry of Deeds in Salem and shall submit the recording information to the Conservation Commission on the form for said information found at the end of the Order of Conditions prior to the commencement of any work authorized by this Order of Conditions or any amendments thereto. Failure to submit said recording information prior to the commencement of work may result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines"**.

21. Prior to any work authorized by this Order, a sign (1'x 2') shall be displayed in a conspicuous place at the site with the words "**DEP File 40-1121**"

22. **Prior to any demolition, construction or earth moving activities on the site, the applicant shall make an appointment for a site inspection by the Conservation Administrator to review the proposed work and the conditions contained in this Order.**

23. A copy of the Order of Conditions as well as the final approved plan/s shall be available for inspection on site while activities regulated by the Order are underway.

24. This Order of Conditions is issued under the Wetlands Protection Act and its Regulations (MGL Chapter 131, Section 40 and 310 CMR 10.00 et. seq.), and under the Town of Marblehead Wetlands Protection Bylaw (Marblehead Bylaws Chapter 194) and its Regulations (Wetlands Protection Bylaw Regulations for Administering Marblehead Bylaws Chapter 194, Sections 194-1 through 194-14). As such this Order constitutes a wetlands permit both under the Act and under the Bylaw.

25. The project shall be performed in accordance with the final approved plans and other documents referenced in Attachment A to this Order of Conditions, except as the project may be altered or

amended by these Special Conditions. Any deviation from this Order of Conditions and the approved construction plan/s and documents requires authorization from the Conservation Commission prior to implementation. Any deviation from the approved construction plans and documents commenced prior to authorization is subject to a fine of up to \$300 per day, issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. See Attachment "C" for "Schedule of Fines".

26. The project shall be performed in accordance with the representations made by the applicant and his/her representative(s) and in accordance with the requirements of the Marblehead Conservation Commission, all as reflected in the public hearing record as documented in the minutes of the Marblehead Conservation Commission referenced in Attachment A to this Order of Conditions, except as the project may be specifically altered or amended by these Special Conditions.

27. These Special Conditions relate equally to both the Wetlands Protection Act and the Marblehead Wetlands Protection Bylaw unless herein indicated otherwise.

Pre-construction:

28. Any land disturbance of an area less than 40,000 square feet requires that Section II.C of the regulations pertaining to the Stormwater Management and Erosion Control Bylaw, Chapter 195 of the Marblehead Code must be followed and implemented.

29. All special conditions are to be included in the construction contracts between the applicant and his/her contractor.

30. A drawing of the erosion control techniques to be used on site shall be included in the construction contracts between the applicant and his/her contractor.

31. Prior to commencement of construction activities, the Applicant shall obtain all federal, state and local permits (in addition to this OOC) that may be required for the proposed project.

During construction:

32. This project shall not cause an increase in run-off onto adjacent properties or streets, either during construction or after completion. Appropriate measures shall be taken to prevent the movement of silt or debris onto adjacent properties, streets and Resource Areas.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

38. Any pressure-treated wood proposed to be used in the construction of a structure for land-based use shall be arsenic-free. Any pressure-treated wood proposed to be used in the construction of a structure for salt water contact shall be treated with Chromated Copper Arsenate (CCA) or other preservative approved by the EPA and/or the MADEP which is less polluting and harmful to the salt water and its environment.

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

43. The back-filling of small areas of erosion landward of a seawall is allowed as a surviving condition provided the erosion is not on a coastal bank. This back-filling applies to areas defined primarily as Land Subject to Coastal Storm Flowage. Any work on a coastal bank requires an NOI. The back-fill material must be clean and compatible with the eroded material. Prior to any back-filling, the scope of the proposed back-filling must be approved by the Conservation Commission. **This condition shall survive this order.**

49. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For the most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

54. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation

Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines"**.

In addition, Leclair added the following conditions: 1) no encroachment on public ways will be allowed and 2) protruding concrete will be removed. He also wanted to see the crushed stone and sand as well as the filter fabric added to the plan.

The Commission unanimously voted to issue an Order of Conditions with the aforementioned Special Conditions.

NOI 40-1122 3 Point O'Rocks Lane POINT O'ROCKS CORPORATION

Project: Proposed repair and/or reconstruction of storm-damaged seawall

Applicant: Point O'Rocks Corporation

Resource Area: Coastal Bank Land Subject to Coastal Storm Flowage

Interests of the WPA and Bylaw: Flood Control, Storm Damage Prevention and Prevention of Pollution

Control Drawing: Plan to Accompany NOI, 3 Point O' Rocks Lane from Hayes Engineering dated March 27, 2013

Interests of the WPA and Bylaw: Buffer Zone, Coastal Bank and Land Subject to Coastal Storm Flowage

Control Drawing: Site plan from Hayes Engineering dated March 27, 2013

Appeared: Peter Ogren of Hayes Engineering, Richard Bragdon, caretaker

No supporting documents were attached to the NOI application.

DEP has no comment.

Leclair stated that project would be subject to Special Conditions 20-36, 40-44, 49, 53-54.

20. In accordance with General Condition No. 9 contained in this Order of Conditions, the applicant shall record this original Order of Conditions and any subsequent amendments thereto at the Registry of Deeds in Salem and shall submit the recording information to the Conservation Commission on the form for said information found at the end of the Order of Conditions prior to the commencement of any work authorized by this Order of Conditions or any amendments thereto. Failure to submit said recording information prior to the commencement of work may result in a fine issued against the

applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines"**.

21. Prior to any work authorized by this Order, a sign (1'x 2') shall be displayed in a conspicuous place at the site with the words "**DEP File 40-1122**"

22. **Prior to any demolition, construction or earth moving activities on the site, the applicant shall make an appointment for a site inspection by the Conservation Administrator to review the proposed work and the conditions contained in this Order.**

23. A copy of the Order of Conditions as well as the final approved plan/s shall be available for inspection on site while activities regulated by the Order are underway.

24. This Order of Conditions is issued under the Wetlands Protection Act and its Regulations (MGL Chapter 131, Section 40 and 310 CMR 10.00 et. seq.), and under the Town of Marblehead Wetlands Protection Bylaw (Marblehead Bylaws Chapter 194) and its Regulations (Wetlands Protection Bylaw Regulations for Administering Marblehead Bylaws Chapter 194, Sections 194-1 through 194-14). As such this Order constitutes a wetlands permit both under the Act and under the Bylaw.

25. The project shall be performed in accordance with the final approved plans and other documents referenced in Attachment A to this Order of Conditions, except as the project may be altered or amended by these Special Conditions. Any deviation from this Order of Conditions and the approved construction plan/s and documents requires authorization from the Conservation Commission prior to implementation. Any deviation from the approved construction plans and documents commenced prior to authorization is subject to a fine of up to \$300 per day, issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines"**.

26. The project shall be performed in accordance with the representations made by the applicant and his/her representative(s) and in accordance with the requirements of the Marblehead Conservation Commission, all as reflected in the public hearing record as documented in the minutes of the Marblehead Conservation Commission referenced in Attachment A to this Order of Conditions, except as the project may be specifically altered or amended by these Special Conditions.

27. These Special Conditions relate equally to both the Wetlands Protection Act and the Marblehead Wetlands Protection Bylaw unless herein indicated otherwise.

Pre-construction:

28. Any land disturbance of an area less than 40,000 square feet requires that Section II.C of the regulations pertaining to the Stormwater Management and Erosion Control Bylaw, Chapter 195 of the Marblehead Code must be followed and implemented.

29. All special conditions are to be included in the construction contracts between the applicant and his/her contractor.

30. A drawing of the erosion control techniques to be used on site shall be included in the construction contracts between the applicant and his/her contractor.

31. Prior to commencement of construction activities, the Applicant shall obtain all federal, state and local permits (in addition to this OOC) that may be required for the proposed project.

During construction:

32. This project shall not cause an increase in run-off onto adjacent properties or streets, either during construction or after completion. Appropriate measures shall be taken to prevent the movement of silt or debris onto adjacent properties, streets and Resource Areas.

33. There shall be no cleaning or rinsing of cement concrete ready-mix trucks, or cement concrete mixing equipment, such that the byproduct of the cleaning or rinsing operation finds its way to any resource area by any means, especially, but not limited to, by means of a storm drainage system (catch basins, pipes, drainage ditches, etc.).

35. All demolition debris shall be removed from the site as soon as possible and not stored within a resource area or a buffer zone. If a dumpster is used to contain debris, the dumpster shall be covered after each work day. The debris shall be properly disposed of in accordance with applicable federal, state and local regulations.

36. All construction material shall be stored outside the resource area and its buffer zone or as far back from the resource areas as possible.

40. By voluntary agreement with the applicant, only organic fertilizers are to be used on the property landward of the resource areas. Fertilizers should not contain pesticides or herbicides; should contain slow release nitrogen and should not contain more than 3% phosphorous. To mitigate chemical runoff, do not fertilize directly before a rainstorm and do not over fertilize. Apply fertilizer in late April and in September (refer to: A Homeowner's Guide to Environmentally Sound Lawn care published by the Massachusetts Department of Food and Agriculture and the booklet, Don't Trash Grass, published by the Massachusetts Department of Environmental Protection). **This condition shall survive this order.**

41. Maintenance pointing and repairs of existing stone masonry walls and concrete walls including the replacement of an occasional missing stone or patching cracks and minor defects in a concrete wall are allowed as a surviving condition to this Order of Conditions. **The property owner shall inform the Conservation Commission in writing at least seven days prior to any proposed repointing or repair work on existing walls.** All dislodged and removed mortar/cement will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Any future razing, rebuilding or enlarging of the subject wall(s) will require the filing of a new Notice of Intent. **This condition shall survive this order.**

42. The repair/replacement of small sections of damaged caps on seawalls is allowed as a surviving condition. All dislodged and removed caps will be immediately contained and removed from the work site to prevent any such material from entering the resource waters. Prior to any work, the scope of the

proposed repair/replacement must be approved by the Conservation Commission. If the cap on a major length or on an entire wall needs to be repaired/replaced, this requires an NOI. **This condition shall survive this order.**

43. The back-filling of small areas of erosion landward of a seawall is allowed as a surviving condition provided the erosion is not on a coastal bank. This back-filling applies to areas defined primarily as Land Subject to Coastal Storm Flowage. Any work on a coastal bank requires an NOI. The back-fill material must be clean and compatible with the eroded material. Prior to any back-filling, the scope of the proposed back-filling must be approved by the Conservation Commission. **This condition shall survive this order.**

44. When a pool/spa/hot tub is to be drained, no chlorine or other chemicals are to be added to the pool water for a period of at least four (4) days prior to draining to allow for the chlorine and other chemicals to dissipate; and there shall be an appropriate sign placed permanently at or immediately adjacent to the pool/spa/hot tub drainage valve or mechanism indicating this requirement. The method of pool drainage shall be such as to prevent any soil erosion by the draining water and to allow the draining water to seep into the ground prior to entering any resource waters. No direct discharge to resource waters is allowed. **This condition shall survive this order.**

49. Invasive plants shall not be used nor maintained in the landscape of the project site. This applies to the existing landscape as well as to any proposed landscape. A list of invasive plants in Massachusetts can be found in the latest update of The Evaluation of Non-Native Plant Species for Invasiveness in Massachusetts (with annotated list) produced by the Massachusetts Invasive Plant Advisory Group. For the most recent update, visit www.mnla.com or www.newfs.org. **This condition shall survive this order.**

53. The control drawing/s for this project were prepared by a licensed Professional Engineer. The construction of this project shall be regularly inspected by said licensed professional to insure that the project complies with the control drawing/s. Upon completion of the work authorized by this OOC, said licensed professional shall submit a written statement to the Conservation Commission certifying that the completed work is in substantial compliance with the control drawing and setting forth any deviations that may exist between the completed work and the plan approved by the Conservation Commission.

54. Upon completion of the work allowed under this Order of Conditions the applicant shall apply for a Certificate of Compliance (COC) (a) within 30 days after completion of the work or (b) thirty (30) days prior to the expiration date of the original or extended OOC, whichever time comes sooner. If no work was started under the OOC or if some of the work will not be performed, the applicant must still apply for a Certificate of Compliance at least 30 days prior to the expiration of the OOC. The Conservation Commission may require the submission of an "as built" drawing (signed and stamped by a licensed Professional Engineer or licensed Professional Land Surveyor) with the application for the COC. Failure to submit an application for a COC shall result in a fine issued against the applicant in accordance with Marblehead Bylaws Chapter 194, Section 11E. **See Attachment "C" for "Schedule of Fines".**

In addition, Leclair added the following conditions: 1) drawings with more detail, 2) attempt to tie the two seawalls together, and finally 3) the walls should be capped.

The Commission unanimously voted to issue an Order of Conditions with the aforementioned Special Conditions.

Old/New Business:

Theodore Baker, Arthur Avenue: Haug issued a Civil Disposition Violation Notice to Mr. Baker. A March 15, 2013 letter from Haug to Baker was presented at the meeting.

The meeting was adjourned at 9:30 PM.